Parameter configuration	Celeste to EC7 23 490km provide more than 75kWh		Celeste to EC7 23 590km Starter Edition 100kWh		Celeste to EC7 23 635km 100kWh	
Basic information						
Manufacturer	Wei Lai		Wei Lai		Wei Lai	
Level	Large SUV		Large SUV		Large SUV	
Energy type	Pure electric 24/12		Pure electric 24/12		Pure electric	2/2022
Time to market		2022	2 24/12			2/2022
CLTC pure electric life[km]	Four hundred ninety			590	Six hundred thirty five	
Motor[Ps]		653	3	653	i -	653
Gearbox	1 gear fixed gear ratio		1 gear fixed gear ratio		1 gear fixed gear ratio	
Length*width*height[mm]	4968*1974*1714		4968*1974*1714		4968*1974*1714	
Body structure	5 Door 5 seat SUV		5 Door 5 seat SUV		5 Door 5 seat SUV	
		200		200		200
Maximum speed[km/h]		200)	200		200
Official 0-100km/h acceleration [s]	3.8		3.8		3.8	
Vehicle warranty	3 years or 12 million km		3 years or 12 million km		3 years or 12 million km	
venice warranty	3 years of 12 million km		S years or 12 million km		3 years or 12 million km	
The first owner warranty policy	Unlimited mileage for 10 years (liability exemption cla is subject to official)	ause	Unlimited mileage for 10 years (ilability exemption of is subject to official)	ause	Unlimited mileage for 10 years (itability exemption c is subject to official)	ause
Exterior color						
Interior color						
Body						
Length[mm] Width[mm]		4968 1974		4968		4968 1974
Height[mm]		1714		1714		1714
Wheelbase[mm]		2960)	2960	1	2960
Door open mode	Door		Door		Door	
Doors number	Five		Five		Five	
Number of seats	Five		Five		Five	
Wind resistance coefficient[Cd]	0.23		0.23		0.23	
Official trunk volume [L]	442-1449		442-1449		442-1449	
Traction mass [kg]		2000)	2000	1	2000
motor			-			
Number of driving motors	Number of driving motors		Number of driving motors		Number of driving motors	
Motor layout	Motor layout		Motor layout		Motor layout	
Type of motor	Before permanent magnet synchronous/rear AC asynchronous		Before permanent magnet synchronous/rear AC asynchronous		Before permanent magnet synchronous/rear AC asynchronous	
Total motor power [kW]		480	1	480		480
Total horsepower of motor		653	3	653		653
Total torque of motor	Eight hundred fifty		Eight hundred fifty		Eight hundred fifty	
Maximum power of front motor [kW]		180)	180	1	180
				-		
Maximum torque of front motor [N·m]	Three hundred fifty		Three hundred fifty		Three hundred fifty	
Maximum power of rear motor [KW]		300)	300		300
Maximum torque of rear motor [N·m]		500)	500		500
Battery/Supplement to						
	•		•			
Battery type	Ternary lithium+lithium iron phosphate		Ternary lithium battery		Ternary lithium battery	
Batteries brands	Jiangsu era		Jiangsu era		Jiangsu era	
Battery temperature management	Low temperature heating		Low temperature heating		Low temperature heating	
-	Liquid cooling		Liquid cooling		Liquid cooling	
CLTC pure electric life[km]	Four hundred ninety			590	Six hundred thirty five	

Battery power [kWh]	Seventy five	One hundred	One hundred
Battery energy density [Wh/kg]	142.1	185.44	185.44
The vehicle charge port	Fast-charge port	Fast-charge port	Fast-charge port
Slow charge port location			
elon energe por rocaren			
Fast-charge port location	Vehicle front right side	Vehicle front right side	Vehicle front right side
Vehicles for electric	•	•	•
Home charging pile	•	•	•
With a car charging gun	•	-	-
External discharge function	•	•	•
External discharge power	• 3.3 kW	• 3.3 kW	• 3.3 KW
Battery pack warranty	8 years or 12 million km	8 years or 12 million km	8 years or 12 million km
The first owner of the battery pack warranty	Unlimited mileage for 10 years (liability exemption clause is subject to official)	Unlimited mileage for 10 years (liability exemption clause is subject to official)	Unlimited mileage for 10 years (liability exemption clause is subject to official)
Gearbox			
Gearbox description	The electric car is a single-speed gearbox	The electric car is a single-speed gearbox	The electric car is a single-speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio
Gear number Chassis steering	One	One	One
Drive form	Dual-motor four-wheel drive	Dual-motor four-wheel drive	Dual-motor four-wheel drive
Four-wheel drive form	The electric four-wheel drive	The electric four-wheel drive	The electric four-wheel drive
Center differential structure			
Front suspension type	Double-wishbone independent suspension	Double-wishbone independent suspension	Double-wishbone independent suspension
Rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Power type	Electric power	Electric power	Electric power
	Height adjustment	Height adjustment	Height adjustment
Adjustable suspension function	Soft and hard adjustment	Soft and hard adjustment	Soft and hard adjustment
Adjustable suspension type	Air suspension	Air suspension	Air suspension
Vehicle body structure	Bearing type	Bearing type	Bearing type
	county ypo	occurring type	ocuring type
Limited slip differential			
Wheel brake		-	-
Front brake type	Ventilated disc	Ventilated disc	Ventilated disc
Rear brake type	Ventilated disc	Ventilated disc	Ventilated disc
Parking brake type	Electronic Parking	Electronic Parking	Electronic Parking
Front tire specifications	• 255/50 R20	• 265/45 R21	• 255/50 R20
Rear tire specifications	• 255/50 R20	• 265/45 R21	• 255/50 R20
Spare wheel	Only tire repair tools	Only tire repair tools	Only tire repair tools
The spare wheel is placed		-	-
Active safety ABS anti-lock			
Brake force distribution(EBD/CBC, etc.)	•	•	•
Proke appirt/PA/EPA/PAS_ata.)			

Body stability control(ESP/DSC/VSC, etc.)

•

•

Belt is not based reminders	The whole car	The whole car
Tire pressure monitor	Tyre pressure display	Tyre pressure display
The car biological monitoring		
Passive safety		
The main driver airbag	•	•
Passenger airbag	•	•
The first row side airbag	•	
Second row side airbag		
Side curtain airbags	•	
Knee airbag		
Front passenger seat cushion airbag		
Rear seat belt airbags		
Rear seat anti-slipped airbag		
The Central airbag	The first row	The first row
The second row of the forward airbag		
The second row of the forward alroad		
Child seat interface	•	•
Passive pedestrian protection	-	-
The lack of gas tire	0	•
Assist/control configuration		
Front Parking radar	•	•
Rear Parking radar	•	•
Astern side warning system	•	•
Open the door collision warning	•	•
Driving aid image	360-degree panoramic images	• 360-degree panoramic images
Chassis perspective	low	low
Cruise control system	Full speed adaptive cruise	Full speed adaptive cruise
	• Exercise	• Exercise
	Economy	Economy
Driving mode selection	Standard/comfortable	Standard/comfortable
	Off-road Snow	Off-road Snow
	Custom/personalized	Custom/personalized
Fatigue warning	•	
self-parking	•	•
Remote control parking	0	0
Engine start-stop		
Automatic parking		•
Uphill aid	•	•
A steep descent	•	•
Night vision system Variable steering ratio		
Integral active steering system		
Wading sensing system	-	-
Low speed four-wheel drive		

• The whole car

• Tyre pressure display

• • •

•

The first row

•

0

•

•

•

•

360-degree panoramic images

low

• Full speed adaptive cruise

Exercise

• Economy

Standard/comfortable

Off-roadSnow

Custom/personalized

•

0 0

• •

•

•

•

And the line auxiliary(BSM/BSD) •

Tank turn Driver assistance features

•

Lane Departure Warning(LDWS)	•	•	•
Lane-keeping(LKAS)	•	•	•
Lane centering maintain	•	•	•
Road traffic signs recognition	•	•	•
Forward collision warning	•	•	•
Rear collision warning	•	•	•
Active Brake	•	•	•
Auto lane change assist	•	•	•
The ramp automatically exits/enters	0	٥	0
Reverse tracking	-	-	-
Auxiliary driving hardware			
Driving assistance level	• L2	• L2	• L2

Driver assistance system

NIO Autonomous Driving.
 Nio Autonomous driving
 NIO Autonomous Driving.
 NIO Autonomous driving
 NIO Autonomous driving
 NIO Autonomous driving

Pilot aid chip	Four Nvidia Orin-X tablets	Four Nvidia Orin-X tablets	Four Nvidia Orin-X tablets
Chip computing power	• 1016 TOPS	• 1016 TOPS	• 1016 TOPS
Laser radar brand	Innovusion Figure Datong	Innovusion Figure Datong	Innovusion Figure Datong
Lidar model	Falcon	Falcon	Falcon
Lidar number	• 1	• 1	• 1
Laser radar line number	• 160 wire	• 160 wire	• 160 wire
Millimeter wave radar	• 5	• 5	• 5
Ultrasonic radar	• Before 6 a/6 a	• Before 6 a/6 a	Before 6 a/6 a
Front awareness camera type	• Binocular	• Binocular	Binocular
Forward sensing carnera Pixel(million)	• 800	• 800	• 800
Environment awareness camera	• 7	• 7	• 7
Environmental sensing camera Pixel(million)	• 800	• 800	• 800
Circumferential camera	• 4	• 4	• 4
Surround view camera Pixel(million)	• 300	• 300	• 300
In-car camera	• 2	• 2	• 2
In-car camera External configuration	• 2	• 2	• 2
	2 Do not open the panoramic skylight	2 Do not open the panoramic skylight	2 Do not open the panoramic skylight
External configuration			
External configuration Skylight type	Do not open the panoramic skylight	Do not open the panoramic skylight	Do not open the panoramic skylight
External configuration Skylight type Light sense screen	Do not open the panoramic skylight	Do not open the panoramic skylight	Do not open the panoramic skylight
External configuration Skylight type Light sense screen Sports appearance kit	Do not open the panoramic skylight 9,500 yuan is optional .	Do not open the panoramic skylight 9,500 yuan is optional .	Do not open the panoramic skylight 9,500 yuan is optional .
External configuration Skylight type Light sense screen Sports appearance kit Electric spoller	Do not open the panoramic skylight 9,500 yuan is optional	Do not open the panoramic skylight 9,500 yuan is optional	Do not open the panoramic skylight 9,500 yuan is optional
External configuration Skylight type Light sense screen Sports appearance kit Electric spoiler Rim material	Do not open the panoramic skylight 9,500 yuan is optional Auminum alloy	Do not open the panoramic skylight 9,500 yuan is optional Auminum alloy	Do not open the panoramic skylight 0,500 yuan is optional . . Auminum alloy
External configuration Skylight type Light sense screen Sports appearance kit Electric spoller Rim material Electrical suction door	Do not open the panoramic skylight 9.500 yuan is optional . Auminum alloy The whole car	Do not open the panoramic skylight 9,500 yuan is optional . Auminum alloy The whole car	Do not open the panoramic skylight 0,500 yuan is optional . . Auminum alloy
External configuration Skylight type Light sense screen Sports appearance kit Electric spoller Rim material Electrical suction door Automatic opening and closing of the door	Do not open the panoramic skylight 9.500 yuan is optional . Auminum alloy The whole car	Do not open the panoramic skylight 9,500 yuan is optional . Auminum alloy The whole car .	Do not open the panoramic skylight 0,500 yuan is optional . . Auminum alloy
External configuration Skylight type Light sense screen Sports appearance kit Electric spoiler Rim material Electrical suction door Automatic opening and closing of the door Frameless door	Do not open the panoramic skylight 9.500 yuan is optional . Auminum alloy The whole car	Do not open the panoramic skylight 9,500 yean is optional 	Do not open the panoramic skylight 9,500 yuan is optional . Auminum alloy The whole car
External configuration Skylight type Light sense screen Sports appearance kit Electrica spoiler Rim material Electrical suction door Automatic opening and closing of the door Frameless door Side silding door	Do not open the panoramic skylight 9.500 yuan is optional 	Do not open the panoramic skylight 9.500 yuan is optional Hereit and the second	Do not open the panoramic skylight 9,500 yuan is optional . Auminum alloy The whole car
External configuration Skylight type Light sense screen Sports appearance kit Electrica spoiler Rim material Electrical suction door Automatic opening and closing of the door Frameless door Side silding door	Do not open the panoramic skylight 9.500 yuan is optional Hamman alloy The whole car Hamman alloy The whole car	Do not open the panoramic skylight 0,500 yuan is optional . Auminum alley The whole car . .	Do not open the panoramic skylight 9.500 yuan is optional Auminum alloy The whole car
External configuration Skylight type Light sense screen Sports appearance kit Electric goolier Rim material Electrical suction door Automatic opening and closing of the door Frameless door Side sliding door Roof mok	Do not open the panoramic skylight 9.500 yean is optional . . Auminum alloy The whole car .	Do not open the panoramic skylight 9,500 yean is optional . . Auminum alloy The whole car .	Do not open the panoramic skylight 0 9.500 yuan is optional . Auminum alloy The whole car .
External configuration Skylight type Light sense screen Sports appearance kit Electric goolier Rim material Electrical suction door Automatic opening and closing of the door Frameless door Side sliding door Roof mok	Do not open the panoramic skylight O 9.500 yuan is optional Auminum alloy Auminum alloy The whole car The remote control key Blueboth key	Do not open the panoramic skylight O 9.500 yuan is optional O Aluminum alloy O The whole car O O O O O O O O O O O O O O O O O O O	Do not open the panoramic skylight 9,500 yuan is optional Atuminum alloy . The whole car The remote control key . Bluetooth key
External configuration Skylight type Light sense screen Sports appearance kit Electric goolier Rim material Electrical suction door Automatic opening and closing of the door Frameless door Side sliding door Roof mok	Do not open the panoramic skylight 9.500 yuan is optional U Auminum alloy The whole car U U The remote control key Bluetooth key NFCRFED Key	Do not open the panoramic skylight 9.500 yuan is optional U Auminum alloy The whole car U The whole car U The remote control key Bluntooth key NFCIREID Key	Do not open the panoramic skylight 0,500 yuan is optional Aluminum alloy . The whole car The remote control key . Bluetooth key . NFC/RFID Key

Hidden electric door handle • • •

Steering wheel material	Faux leather Leather	Genuine leather	• Fau ∘ Lea
Internal configuration			
Trailer to take power port	0	0	0
Trailer hook	0	٥	0
Sentinel(clairvoyance)mode	•	•	•
Low-speed driving warning tone	•	•	•
Car side foot pedal		-	
The rear door glass to separate open			-
Induction tailgate			•
The tailgate position memory	•	•	•
Electric tailgate	•	•	•
Active closed grille	•	•	•

Leather

Power up and down+front and rear adjustment
 Power up and down+front and rear adjustment
 Power up and down+front and rear adjustment

 Faux leather Leather

Steering wheel adjustment

	Steering wheel memory	Steering wheel memory	Steering wheel memory
The shift in the form	Electronic gear the shift	Electronic gear the shift	Electronic gear the shift
Multifunction steering wheel			
Steering wheel shift	-	-	-
Steering wheel heater	•	•	•
Trip computer display	Color	• Color	• Color
Full LCD dashboard	•	•	•
Dashboard screen size	• 10.2	• 10.2	• 10.2
The meter screen resolution[px]	• 1920 x 532	• 1920 x 532	• 1920 x 532
The meter screen pixel density(PPI)	• 158	• 158	• 158
HUD head-up display	•	•	•
Built-in car DVR	•	•	•
Mobile phone wireless charging	The first row	The first row	The first row
ETC device	•	•	•
Active noise reduction		-	
Power adjustable pedals	-	-	-
Single pedal mode	•	•	•
Seat configuration			
Seat material	Faux leather	Genuine leather	Faux leather
Seat material Sport style seat	◦ Leather	Genuine leather	Faux leather Leather
	◦ Leather		• Leather
	o Leather		• Leather
Sport style seat	o Leather		• Leather
Sport style seat	o Leather		• Leather
Sport style seat The main driving seat electric adjustment	Leather . With memory electric adjustment	With memory electric adjustment	Leather . With memory electric adjustment
Sport style seat The main driving seat electric adjustment	Leather With memory electric adjustment With memory electric adjustment Front and rear adjustment	With memory electric adjustment With memory electric adjustment	Leather With memory electric adjustment With memory electric adjustment
Sport style seat The main driving seat electric adjustment	Leather With memory electric adjustment With memory electric adjustment Front and rear adjustment Backrest adjustment	With memory electric adjustment With memory electric adjustment Front and rear adjustment	Leather With memory electric adjustment With memory electric adjustment Front and rear adjustment
Sport style seat The main driving seat electric adjustment Front passenger seat electric adjustment	 Leather With memory electric adjustment With memory electric adjustment Front and rear adjustment Backrest adjustment Height adjustment(4-Way) 	With memory electric adjustment With memory electric adjustment Front and rear adjustment Backrest adjustment	 Leather With memory electric adjustment With memory electric adjustment Front and rear adjustment Backreat adjustment
Sport style seat The main driving seat electric adjustment Front passenger seat electric adjustment	 Leather With memory electric adjustment With memory electric adjustment Front and rear adjustment Backrest adjustment Height adjustment(4-Way) 	With memory electric adjustment With memory electric adjustment Front and rear adjustment Backrest adjustment Height adjustment(4-Way)	 Leather With memory electric adjustment With memory electric adjustment Front and rear adjustment Backrest adjustment Height adjustment(4-Way)
Sport style seat The main driving seat electric adjustment Front passenger seat electric adjustment	 Leather With memory electric adjustment With memory electric adjustment Front and rear adjustment Backrest adjustment Height adjustment(4-Way) Lumbar adjustment(4-Way) 	With memory electric adjustment With memory electric adjustment Front and rear adjustment Backrest adjustment Height adjustment(4-Way) Lumbar adjustment(4-Way)	 Leather With memory electric adjustment With memory electric adjustment Front and rear adjustment Backreat adjustment Height adjustment(4-Way) Lumbar adjustment(4-Way)
Sport style seat The main driving seat electric adjustment Front passenger seat electric adjustment	 Leather With memory electric adjustment With memory electric adjustment With memory electric adjustment Front and rear adjustment Backrest adjustment(4-Way) Lumbar adjustment(4-Way) Leg rest adjustment 	With memory electric adjustment With memory electric adjustment Front and rear adjustment Front and rear adjustment Backrest adjustment(4-Way) Lumbar adjustment(4-Way) Leg rest adjustment	 Leather With memory electric adjustment With memory electric adjustment With memory electric adjustment Front and rear adjustment Fornt and rear adjustment(4-Way) Lumbar adjustment(4-Way) Leg rest adjustment

Front passenger seat adjustment mode	Height adjustment(4-Way)	Height adjustment(4-Way)	Height adjustment(4-Way)
	Lumbar adjustment(4-Way)	Lumbar adjustment(4-Way)	Lumbar adjustment(4-Way)
	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment
	Heating	Heating	Heating
The first row of seats features	Ventilation	Ventilation	Ventilation
	• Massage	Massage	• Massage
Boss Key	-	-	-
The second row of seats electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment
	Backrest adjustment	Backrest adjustment	Backrest adjustment
The second-row seat adjustment			
	Lumbar adjustment	Lumbar adjustment	Lumbar adjustment
	Heating	Heating	Heating
The second-row seat feature	 Ventilation 	 Ventilation 	 Ventilation
	 Massage 	 Massage 	• Massage
Third row of seats, electric adjustment			
Third row seat adjustment			
Third row seat features		-	
Zero gravity seat features	Secondary drive	Secondary drive	Secondary drive
	The first row	The first row	The first row
Center armrest	Second row	Second row	Second row
Seat layout	- 36001010W	• Second low	- 360001000
The rear seats recline way	Scale down	Scale down	Scale down
Rear seats power recline	-		
Rear Cup holder	Second row	Second row	Second row
Heating/cooling Cup holder			
Rear folding Board Car Machine/Internet			-
Control color screen	Touch OLED screen	Touch OLED screen	Touch OLED screen
In the control screen size	• 12.8	• 12.8	• 12.8
	0150	0150	0150
In the control screen material	OLED	OLED	OLED
In the control screen resolution[px]	• 1728 x 1888	• 1728 x 1888	• 1728 x 1888
Pixel density of center control screen	• 200	• 200	• 200
The Deputy driving the screen		-	
Car system	Banyan tree	Banyan tree	Banyan tree
Engine chip	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
Engine system memory (GB)	• 16	• 16	• 16
Engine system storage (GB)	• 256	• 256	• 256
Car network	• 5G	• 5G	• 5G
OTA upgrade	Complete vehicle OTA	Complete vehicle OTA	Complete vehicle OTA
	WiFi connection	WiFi connection	WiFi connection
Car WiFi function	WIFi connection WiFi hotspot	WiFi connection WiFi hotspot	WiFi connection WiFi hotspot
AR real view navigation	•	-	-
Car navigation maps	High de	High de	High de
High-precision map		•	
V2X communication	•		
Roadside assistance call	•	•	•
Bluetooth car phone	•	•	•

Mobile Internet/mapping			
Voice assistant Wake-up word	• Hi, NOMI	• Hi, NOMI	• Hi, NOMI
	The first row	The first row	The first row
Speech partition Wake-up	Second row	Second row	Second row
Voice-free Wake-up	•		•
Voice continuous recognition	•	•	•
	Multimedia system	Multimedia system	Multimedia system
Speech recognition control function	Navigation	Navigation	Navigation
	Telephone	Telephone	Telephone
	Air conditioning	Air conditioning	Air conditioning
Gesture control			
Facial recognition	Door control	Door control	Door control
	Window control	Window control	Window control
	Vehicle to start	Vehicle to start	Vehicle to start
	Air conditioning control	Air conditioning control	Air conditioning control
Remote control function			
	Charging management	Charging management	Charging management
	The condition of the car a query/diagnostic	The condition of the car a query/diagnostic	The condition of the car a query/diagnostic
	Vehicle positioning/paging car	Vehicle positioning/paging car	Vehicle positioning/paging car
Entertainment			
In-vehicle apps market		•	
Car CD/DVD			
Multimedia/charging interface	• USB • Type-C	• USB • Type-C	• USB • Type-C
USB/Type-C ports quantity	Front 2/rear 2	Front 2/rear 2	Front 2/rear 2
In-car entertainment features	∘ Game	∘ Game	o Game
Analog DIN	•	•	•
Rear control multimedia	•	•	•
Cockpit 220V/230V power supply			
Luggage compartment power supply interface	• 12V	• 12V	• 12V
Audio brand			
Speaker number Audio audition	• 23 • 23	• 23 • 23	• 23 • 23
Light function			
Low beam light source	• LED	• LED	• LED
High-beam light source	• LED	• LED	• LED
Lighting features	Geometric multi-beam	Geometric multi-beam	Geometric multi-beam
LED daytime running lights			
	•	•	•
	Height adjustment	Height adjustment	• • Height adjustment
	Height adjustment	Height adjustment	Height adjustment
Headlight function			
Headlight function	Height adjustment	Height adjustment	Height adjustment
Headlight function	Height adjustment Automatic opening and closing	Height adjustment Automatic opening and closing	Height adjustment Automatic opening and closing
Headlight function Steering assist lamp	Height adjustment Automatic opening and closing Adaptive distance light	Height adjustment Automatic opening and closing Adaptive distance light	Height adjustment Automatic opening and closing Adaptive distance light
	Height adjustment Automatic opening and closing Adaptive distance light Delay off	Height adjustment Automatic opening and closing Adaptive distance light Delay off	Height adjustment Automatic opening and closing Adaptive distance light Delay off
Steering assist lamp	Height adjustment Automatic opening and closing Adaptive distance light Delay off	Height adjustment Automatic opening and closing Adaptive distance light Delay off	Height adjustment Automatic opening and closing Adaptive distance light Delay off
Steering assist lamp Front fog lights	Height adjustment Automatic opening and closing Adaptive distance light Delay off LED	Height adjustment Automatic opening and closing Adaptive distance light Delay off LED	Height adjustment Automatic opening and closing Adaptive distance light Delay off LED
Steering assist lamp Front fog lights Headlight washer system	Height adjustment Automatic opening and closing Adaptive distance light Delay off LED L	 Height adjustment Automatic opening and closing Adaptive distance light Delay off LED L 	Height adjustment Automatic opening and closing Adaptive distance light Detay off LED
Steering assist lamp Front fog lights Headlight washer system Car inside atmosphere lamp	Height adjustment Automatic opening and closing Adaptive distance light Delay off LED L	 Height adjustment Automatic opening and closing Adaptive distance light Delay off LED L 	Height adjustment Automatic opening and closing Adaptive distance light Delay off LED

Second-row power Windows		•	•
The window is a button lift	The whole car	The whole car	The whole car
Window anti-pinch hand function	The whole car	The whole car	The whole car
Multi-layer insulation glass	The whole car	The whole car	The whole car
	Electric adjustment	Electric adjustment	Electric adjustment
	Rearview mirror heating	Rearview mirror heating	Rearview mirror heating
	Electric folding	Electric folding	Electric folding
Outside mirror functions	Mirror memory	Mirror memory	Mirror memory
	Reversing Auto Flip	Reversing Auto Flip	Reversing Auto Flip
	Lock the car automatically folded	Lock the car automatically folded	Lock the car automatically folded
	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle
Interior features	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle
Rear side privacy glass	•	•	•
Rear side sunshade		-	
The rear windshield sunshade		-	
Car internalization makeup mirror	• The main driving+lamp	• The main driving+lamp	• The main driving+lamp
	Copilot+lighting	Copilot+lighting	Copilot+lighting
Sensing wipers function	Rain sensing type	Rain sensing type	Rain sensing type
Rear wiper			
Heated spray nozzle			
Air conditioning/refrigeration			
The first evacuation tone	Dual temperature zone automatic air conditioning	Dual temperature zone automatic air conditioning	Dual temperature zone automatic air conditioning
The second evacuation tone	Single-zone automatic air conditioning	Single-zone automatic air conditioning	Single-zone automatic air conditioning
Third evacuation tone		-	
Heat pump air conditioning		•	•
Air quality monitoring	•	•	•
PM2.5 filter device in car	•	•	•
Car air purifier	•	•	•
Anion generator	•	•	•
Fragrance system			
	•	•	•
Car refrigerator	•	•	•