Danie information						
Basic information Manufacturer's guide price		438	В	518		496
Jinhua reference price	From 438,000		From 518,000		From 496,000	
Manufacturers	NIO		NIO		NIO	
level	Medium and large SUV		Medium and large SUV		Medium and large SUV	
Type of energy	Pure electric		Pure electric		Pure electric	
Time to market CLTC pure electric range [km]	15/0	6/2022 485		06/2022 575	15	620 620
Electric Motor[Ps]		653		653		653
Gearbox	1 gear fixed gear ratio		1 gear fixed gear ratio		1 gear fixed gear ratio	
Length*width*height[mm]	4912*1987*1720		4912*1987*1720		4912*1987*1720	
Body structure	5-door, 5-seat SUV		5-door, 5-seat SUV		5-door, 5-seat SUV	
Maximum speed[km/h] Official 0-100km/h acceleration[s]	3.9	200	3.9	200	3.9	200
Vehicle warranty	3 years or 120,000 km		3 years or 120,000 km		3 years or 120,000 km	
First owner warranty policy	6 years or 150,000 km		6 years or 150,000 km		6 years or 150,000 km	
Appearance color						
Interior color Body						
Length[mm]		4912		4912		4912
Width[mm] Height[mm]		1987 1720		1987 1720		1987 1720
Wheelbase[mm]		2960)	2960		2960
Front track[mm] Rear track[mm]		1668 1672		1668 1672		1668 1672
How the door opens	Swing doors		Swing doors		Swing doors	
Number of doors		5		5		5
Number of seats Approach angle[°]		17	7	5 17		5 17
Departure angle[°] Drag coefficient[Cd]	0.263	22	2 0.263	22	0.263	22
Official trunk volume[L]	570-1545		570-1545		570-1545	
Curb weight[kg]		2361	1	2400		2381
Full load mass [kg] Traction mass[kg]		2850		2850 2000		2850 2000
Electric motors		2000		2000		2000
Number of drive motors	Dual motors		Dual motors		Dual motors	
	Front + rear		Front + rear		Front + rear	
Motor layout	Front + real		FIORE + real		Front + real	
Motor type	Front permanent magnet synchronous/rear AC asynchronous		Front permanent magnet synchronous/rear AC asynchronous		Front permanent magnet synchronous/rear AC asynchronous	
Total motor power [kW]		480		480		480
Total horsepower of electric motor [Ps]		653	3	653		653
Total torque of electric motor[N·m] Maximum power of front motor [kW]		850 180		850 180		850 180
Maximum power of rear motor [kW]		300		300		300
Battery/Replenishment						
Battery type	ternary lithium + lithium iron phosphate		Ternary lithium battery		Ternary lithium battery	
Cell brand	Jiangsu era		Jiangsu era		Jiangsu era	
Battery temperature management	Low temperature heating		Low temperature heating		Low temperature heating	
	Liquid cooling		Liquid cooling		Liquid cooling	
CLTC pure electric range [km] Battery level [kWh]		485 75		575 100		620 100
Battery energy density[Wh/kg] Power consumption per 100km[kWh/100km]	142.1 17.6		185.44 19.1		185.44 17.6	
Vehicle charging port	Fast charging port		Fast charging port		Fast charging port	
Slow filling port position	Pight front cide of the cor.		Pight front olds of the cor.		Dight front side of the core	
Quick charging port location Vehicle power exchange	Right front side of the car		Right front side of the car		Right front side of the car	
Home charging piles	•		•		•	
On-board charging cable External discharge function	•		•		•	
External discharge power	• 3.3kW		• 3.3kW		• 3.3kW	
Battery pack warranty	8 years or 120,000 km		8 years or 120,000 km		8 years or 120,000 km	

rbox

Gearbox description	Electric vehicle single-speed gearbox	Electric vehicle single-speed gearbox	Electric vehicle single-speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio
Number of gear bits Chassis steering		1	1 1
Drive form	Dual motor four-wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive
Four-wheel drive form	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Center differential structure	-	-	
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
Rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	Electric assist	Electric assist	Electric assist
	High and low adjustment	High and low adjustment	High and low adjustment
Adjustable suspension function	Soft and hard adjustment	Soft and hard adjustment	Soft and hard adjustment
Adjustable suspension type	Air suspension	Air suspension	Air suspension
Body structure	Load-bearing type	Load-bearing type	Load-bearing type
Limited-slip differential Differential lock Wheel brakes		-	:
Front brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type
Rear brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type
Parking brake type	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	• 255/50 R20	• 265/45 R21	• 255/50 R20
Rear tire specifications	• 255/50 R20	• 265/45 R21	• 255/50 R20
spare wheel	Tire repair tools only	Tire repair tools only	Tire repair tools only
How the spare wheel is placed Proactive security	-	-	-
ABS anti-lock braking	•	•	•
Braking force distribution (EBD/CBC, etc.) Brake assist (BA/EBA/BAS, etc.)	:	:	:
Traction control (ASR/TCS/TRC, etc.) Body stability control (ESP/DSC/VSC, etc.)	•	•	:
Seat belt not fastened reminder	Full vehicle	Full vehicle	Full vehicle
Tire pressure monitoring	Tire pressure display	Tire pressure display	Tire pressure display
In-vehicle biomonitoring Passive safety	•	-	-
Main driver airbags	•	•	•
Co-pilot airbag	•	•	•
First row of side airbags Second row side airbags	• -	-	-
Side air curtains Knee airbags	•	•	•
Co-pilot's saddled airbag	-	-	-
Rear seatbelt airbags Anti-slip airbags in the rear seats	-	-	-
Central airbag	First row	First row	First row
Second row of positive airbags	-	-	-
Child seat interface Passive pedestrian protection	•	•	•
Run-flat tires	-	•	-
Auxiliary/manipulative configuration			
Front parking radar Rear parking radar	•	•	•
Reversing side warning system Open door collision warning	:	•	:
abor comoion marring			

Driver assistance images	360-degree panoramic image	360-degree panoramic image	360-degree panoramic image
	• 500-degree panoranne image	• Soo-acgree panorame image	• 500-degree panoramo image
Chassis perspective	•	•	•
Cruise system	Full-speed adaptive cruise	Full-speed adaptive cruise	Full-speed adaptive cruise
	Exercise	Exercise	Exercise
	Economy	Economy	Economy
	,	•	•
Driving mode selection	Standard / Comfortable	Standard / Comfortable	Standard / Comfortable
	Off-road	Off-road	Off-road
	• Snow	Snow	• Snow
Fatigue reminder	• Show	• Show	• Silow
Automatic parking	:	•	:
Remote parking	•	•	•
Remote summoning Engine start-stop	•	•	•
Automatic parking	•	•	•
Uphill assist Steep slopes descend	•	:	•
Night vision system	-	-	<u>.</u>
Variable steering ratio Integral active steering system		:	-
Wading sensing system	-	-	-
Low-speed four-wheel drive	-	-	-
Creep mode Tank turn	- -		- -
Assisted driving functions			
Parallel Assist (BSM/BSD)	•	•	•
Lane Departure Warning (LDWS)	•	•	•
Lane keeping (LKAS) The lane is kept centered	•	:	•
Road traffic sign recognition	•	•	•
Forward collision warning Rear collision warning	•	•	:
Active braking	•	•	•
Automatic lane change assist The ramp is automatically exiting/entering	•	:	:
Reversing the track	-	-	-
Automated driving assistance	o Expressway section	o Expressway section	o Expressway section
Automated driving assistance			
	∘Urban roads	oUrban roads	∘Urban roads
Assisted driving hardware			
Level of driving assistance	• L2	• L2	• L2
J			
Assisted driving systems	NIO Autonomous Driving NIO	NIO Autonomous Driving NIO	NIO Autonomous Driving NIO
	NIO Autonomous Driving NIO	NIO Autonomous Driving NIO	NIO Autonomous Driving NIO
Assisted driving systems		-	•
Assisted driving systems Assisted driving chip	• 4 NVIDIA Orin-X	4 NVIDIA Orin-X	4 NVIDIA Orin-X
Assisted driving systems		-	-
Assisted driving systems Assisted driving chip	• 4 NVIDIA Orin-X	4 NVIDIA Orin-X	4 NVIDIA Orin-X
Assisted driving systems Assisted driving chip Chip hash power	4 NVIDIA Orin-X 1016 TOPS	• 4 NVIDIA Orin-X • 1016 TOPS	• 4 NVIDIA Orin-X • 1016 TOPS
Assisted driving systems Assisted driving chip Chip hash power Lidar brand	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu	4 NVIDIA Orin-X1016 TOPSInnovusion Tudatsu	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs	 4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs	 4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs 	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000)	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Fonward perception camera type Fonward perception camera pixels (10,000) Context-aware camera	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera pixels (10,000) Look around at the camera	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000)	• 4 NVIDIA Orin-X • 1016 TOPS • Innovusion Tudatsu Falcon Falcon • 1 pc • 160 lines • 5 pcs • Front 6 / Back 6 • Binocular • 800 • 7 pcs • 800 • 4 pcs • 300	• 4 NVIDIA Orin-X • 1016 TOPS • Innovusion Tudatsu Falcon Falcon • 1 pc • 160 lines • 5 pcs • Front 6 / Back 6 • Binocular • 800 • 7 pcs • 800 • 4 pcs • 300	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Fonward perception camera pixels (10,000) Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000)	• 4 NVIDIA Orin-X • 1016 TOPS • Innovusion Tudatsu Falcon Falcon • 1 pc • 160 lines • 5 pcs • Front 6 / Back 6 • Binocular • 800 • 7 pcs • 800 • 4 pcs • 300	• 4 NVIDIA Orin-X • 1016 TOPS • Innovusion Tudatsu Falcon Falcon • 1 pc • 160 lines • 5 pcs • Front 6 / Back 6 • Binocular • 800 • 7 pcs • 800 • 4 pcs • 300	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs	 4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 7 pcs 800 4 pcs 300 2 pcs 	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Fonward perception camera pixels (10,000) Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera	• 4 NVIDIA Orin-X • 1016 TOPS • Innovusion Tudatsu Falcon Falcon • 1 pc • 160 lines • 5 pcs • Front 6 / Back 6 • Binocular • 800 • 7 pcs • 800 • 4 pcs • 300	• 4 NVIDIA Orin-X • 1016 TOPS • Innovusion Tudatsu Falcon Falcon • 1 pc • 160 lines • 5 pcs • Front 6 / Back 6 • Binocular • 800 • 7 pcs • 800 • 4 pcs • 300	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs	 4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 7 pcs 800 4 pcs 300 2 pcs 	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Fonward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs	 4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 7 pcs 800 4 pcs 300 2 pcs 	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs	 4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 7 pcs 800 4 pcs 300 2 pcs 	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler Rim material Electric suction door Automatic opening and closing of doors	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiller Rim material Electric suction door	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler Rim material Electric suction door Automatic opening and closing of doors Frameless doors	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler Rim material Electric suction door Automatic opening and closing of doors Frameless doors Side sliding doors	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle .	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Tops	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler Rim material Electric suction door Automatic opening and closing of doors Frameless doors Side sliding doors	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Fonward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler Rim material Electric suction door Automatic opening and closing of doors Frameless doors Side sliding doors Roof racks	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle .	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle .	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle "
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Forward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler Rim material Electric suction door Automatic opening and closing of doors Frameless doors Side sliding doors	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Fonward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler Rim material Electric suction door Automatic opening and closing of doors Frameless doors Side sliding doors Roof racks	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key Bluetooth key	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key Bluetooth key	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key Bluetooth key
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Fonward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler Rim material Electric suction door Automatic opening and closing of doors Frameless doors Side sliding doors Roof racks	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key Bluetooth key	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key Bluetooth key	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key Bluetooth key
Assisted driving systems Assisted driving chip Chip hash power Lidar brand Lidar model Number of lidars Number of lidars Number of lidar lines Millimeter wave radar Ultrasonic radar Fonward perception camera type Forward perception camera pixels (10,000) Context-aware camera Context-aware camera pixels (10,000) Look around at the camera Surround view camera pixels (10,000) In-car camera External configuration Sunroof type Light-sensitive canopy Sporty look kit Electric spoiler Rim material Electric suction door Automatic opening and closing of doors Frameless doors Side sliding doors Roof racks	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key Bluetooth key NFC/RFID key	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key Bluetooth key NFC/RFID key	4 NVIDIA Orin-X 1016 TOPS Innovusion Tudatsu Falcon Falcon 1 pc 160 lines 5 pcs Front 6 / Back 6 Binocular 800 7 pcs 800 4 pcs 300 2 pcs The panoramic sunroof can be opened Aluminum alloy Full vehicle Key fob key Bluetooth key

Keyless entry	Full vehicle	Full vehicle	Full vehicle
Hide electric door handles	•	•	•
Actively closed grille	•	•	•
Power tailgate	•	•	•
Tailgate position memory Induction tailgate	•	•	•
The tailgate glass opens independently	-	-	-
Side footrest	•	•	•
Low-speed driving warning sound Sentinel (clairvoyance) mode	•	•	•
Tow hook	0	0	0
Trailer power intake	0	0	Ō
Internal configuration			
Steering wheel material	Imitation leather	Leather	Imitation leather
Steering wheel material		• Leatilei	
	Genuine leather		o Genuine leather
	Electric up and down + front and rear adjustment	Electric up and down + front and rear adjustment	Electric up and down + front and rear adjustment
Steering wheel adjustment			
	Steering wheel memory	Steering wheel memory	Steering wheel memory
	Steering wheel memory	Steering wheel memory	Steering wheel memory
Shift form	Electronic gear lever shifting	Electronic gear lever shifting	Electronic gear lever shifting
	- •	- •	- ~
Multifunction steering wheel	•	•	•
Steering wheel shifting The steering wheel is heated	•	•	•
Trip computer display	• Color	• Color	• Color
Full LCD instrument cluster Gauge screen size [inch]	• 10.2	• 10.2	• • 10.2
Gauge screen size [inch] HUD heads-up display	• 10.2	• 10.2	• 10.2
Built-in dashcam	•	•	•
Wireless charging of mobile phones	 First row 	First row	First row
ETC device	•	•	•
Active noise cancellation	-	-	-
Electrically adjustable pedals Single pedal mode	•	•	•
Seat configuration			
ū			
	 Imitation leather 		 Imitation leather
Seat material		Leather	
	Genuine leather		Genuine leather
Sport-style seats	-	-	-
The main driver's seat is electrically adjusted	With memory electric adjustment	With memory electric adjustment	With memory electric adjustment
The main arrest a courte discussion, adjusted	- Williams y disease adjacanon	- Thirmoney desire adjustment	- That money december adjustment
The passenger seat is electrically adjustable	 With memory electric adjustment 	With memory electric adjustment	With memory electric adjustment
	 Front and rear adjustment 	 Front and rear adjustment 	 Front and rear adjustment
	 Backrest adjustment 	 Backrest adjustment 	 Backrest adjustment
Main driver seat adjustment	High and low adjustment (4 directions)	High and low adjustment (4 directions)	High and law adjustment (4 directions)
	 High and low adjustment (4 directions). 	 High and low adjustment (4 directions). 	 High and low adjustment (4 directions).
	 Waist adjustment (4-way). 	 Waist adjustment (4-way). 	Waist adjustment (4-way).
	- Log root adjustment	- Low root adjustment	- Low root adjustment
	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment
	Front and rear adjustment	Front and rear adjustment	Front and rear adjustment
		•	
	Backrest adjustment	Backrest adjustment	Backrest adjustment
Co-pilot seat adjustment			
oo piiot oodt dajastiisiit	 High and low adjustment (4 directions). 	 High and low adjustment (4 directions). 	 High and low adjustment (4 directions).
	 Waist adjustment (4-way). 	 Waist adjustment (4-way). 	 Waist adjustment (4-way).
	 Leg rest adjustment 	Leg rest adjustment	 Leg rest adjustment
	Heating	Heating	Heating
	Ventilation	Ventilation	Ventilation
First row seat function	- volumenon	- volumenon	- voluidaon
	• Massack	Massage	Maccane
	Massage	Massage	Massage
Boss key	Massage -	Massage -	Massage -

The second row seats are electrically adjustable	Electric adjustment	Electric adjustment	Electric adjustment
Second row seat adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
	Waist adjustment	Waist adjustment	Waist adjustment
Second row seat function	Heating	Heating	Heating
	• First row	First row	First row
Central armrest	Second row	Second row	Second row
Seat layout	• 2+3	• 2+3	• 2+3
How the rear seats are reclined	Proportional down	Proportional down	Proportional down
The rear seats are reclined electrically			-
Rear cup holders	Second row	Second row	Second row
Heating/cooling cup holders Rear folding table Vehicle/Connected	:	:	:
Central color screen	Touch OLED screen	Touch OLED screen	Touch OLED screen
Center screen size [inch]	• 12.8	• 12.8	• 12.8
Center screen material	AMOLED	• AMOLED	AMOLED
Pixel density of central control screen [PPI] Co-pilot screen	• 200	• 200	• 200
Vehicle system	Banyan Ficus	Banyan Ficus	Banyan Ficus
Car machine chip	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
Vehicle system memory (GB) Vehicle system storage (GB)	16256	16256	16256
Vehicle-machine network	• 5G	• 5G	• 5G
OTA upgrades	Vehicle OTA	Vehicle OTA	Vehicle OTA
Car WiFi function	WiFi connection	WiFi connection	WiFi connection
	WiFi hotspot	WiFi hotspot	WiFi hotspot
Car navigation map V2X communication	• Gaode	• Gaode	Gaode
Roadside assistance calls Bluetooth/car phone	:	:	•
Phone interconnection/mapping	·	·	-
Voice assistant wake words	• 嗨,NAMES	● 嗨,NAMES	• 嗨,NAMES
Voice partition wake-up	First row	First row	First row
	Second row	Second row	Second row
Voice wake-free Speech continuous recognition	•	•	•
	Multimedia system	Multimedia system	Multimedia system
Malan and the same of free allow	Navigation	Navigation	Navigation
Voice recognition control function	• Phone	• Phone	• Phone
	Air conditioning	Air conditioning	Air conditioning
	• Sunroof	Sunroof	• Sunroof
Gesture control Facial recognition			
	Door control	Door control	Door control
	Window control	Window control	Window control
	Vehicle starting	Vehicle starting	Vehicle starting
	Air conditioning control	Air conditioning control	Air conditioning control
Remote control function	Charging management	Charging management	Charging management
	Vehicle condition inquiry/diagnosis	Vehicle condition inquiry/diagnosis	Vehicle condition inquiry/diagnosis
	Vehicle positioning/vehicle finding	Vehicle positioning/vehicle finding	Vehicle positioning/vehicle finding
Audio-visual entertainment			
In-vehicle APP application market Car CD/DVD	•	•	•
Multimedia/charging interface	• USB	• USB	• USB
	Type-C	Type-C	Type-C

Number of USB/Type-C interfaces	• 2 in the front / 2 in the back	2 in the front / 2 in the back	• 2 in the front / 2 in the back
In-car entertainment features	-	-	
Rear control multimedia Cockpit 220V/230V power supply	•	•	•
Power connector for luggage compartment	• 12V	• 12V	• 12V
Audio brand Number of speakers	• 23	• 23	• 23
Sound audition Light function	• 23	• 23	• 23
Low beam light source	• LED	• LED	• LED
High beam light source	• LED	• LED	• LED
Lighting features LED daytime running lights	•	•	•
	Height adjustment	Height adjustment	Height adjustment
	• Hoight adjustment	• Hagit adjustment	- Height adjustment
	Automatic opening and closing	Automatic opening and closing	Automatic opening and closing
Headlight function			
	Adaptive near and far light	Adaptive near and far light	Adaptive near and far light
		2	
	Delayed closing	Delayed closing	Delayed closing
Turn assist lights Front fog lights	• • LED	• LED	• LED
Headlight cleaning device	-	-	-
Interior mood lights	256 colors	256 colors	256 colors
Glass/mirrors			•
First row of power windows Second row of power windows	•	:	•
The window is raised and lowered at the touch of a button	Full vehicle	Full vehicle	Full vehicle
Window anti-pinch function	Full vehicle	Full vehicle	Full vehicle
Multi-layer acoustic glass	Full vehicle	Full vehicle	Full vehicle
	Electric adjustment	Florida adharan	Florida adjustment
	Electric adjustment	Electric adjustment	Electric adjustment
	Heated mirrors	Heated mirrors	Heated mirrors
	Electric folding	Electric folding	Electric folding
	Rearview mirror memory	Rearview mirror memory	Rearview mirror memory
Exterior mirror function			
	Automatic roll-down when reversing	Automatic roll-down when reversing	Automatic roll-down when reversing
	ý	· ·	· ·
	Automatic folding of the lock car	Automatic folding of the lock car	Automatic folding of the lock car
			g
	Automatic anti-glare	Automatic anti-glare	Automatic anti-glare
Interior mirror function	Automatic anti-glare	Automatic anti-glare	Automatic anti-glare
Rear side privacy glass	Automatic anti-glare	Automatic anti-glare	Automatic anti-glare
	-	Automatic anti-glare	Automatic anti-glare
Rear side privacy glass Rear side sunshades Rear windshield sunshade	-	 Automatic anti-glare - Main driver + lighting 	Automatic anti-glare . . Main driver + lighting
Rear side privacy glass Rear side sunshades	Main driver + lighting	•	Main driver + lighting
Rear side privacy glass Rear side sunshades Rear windshield sunshade	:	· .	•
Rear side privacy glass Rear side sunshades Rear windshield sunshade	Main driver + lighting	•	Main driver + lighting
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers	Main driver + lighting Co-pilot + lighting	Main driver + lighting Co-pilot + lighting	Main driver + lighting Co-pilot + lighting
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout	Main driver + lighting Co-pilot + lighting	Main driver + lighting Co-pilot + lighting	Main driver + lighting Co-pilot + lighting
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers	Main driver + lighting Co-pilot + lighting	Main driver + lighting Co-pilot + lighting	Main driver + lighting Co-pilot + lighting
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout	Main driver + lighting Co-pilot + lighting	Main driver + lighting Co-pilot + lighting	Main driver + lighting Co-pilot + lighting
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling	Main driver + lighting Co-pilot + lighting Rain-sensing type	Main driver + lighting Co-pilot + lighting Rain-sensing type	Main driver + lighting Co-pilot + lighting Rain-sensing type .
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout	Main driver + lighting Co-pilot + lighting Rain-sensing type	Main driver + lighting Co-pilot + lighting	Main driver + lighting Co-pilot + lighting Rain-sensing type .
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling	Main driver + lighting Co-pilot + lighting Rain-sensing type	Main driver + lighting Co-pilot + lighting Rain-sensing type	Main driver + lighting Co-pilot + lighting Rain-sensing type .
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling	Main driver + lighting Co-pilot + lighting Rain-sensing type	Main driver + lighting Co-pilot + lighting Rain-sensing type	Main driver + lighting Co-pilot + lighting Rain-sensing type .
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling	Main driver + lighting Co-pilot + lighting Rain-sensing type	Main driver + lighting Co-pilot + lighting Rain-sensing type	Main driver + lighting Co-pilot + lighting Rain-sensing type .
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type .
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling First row air conditioning	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone
Rear side privacy glass Rear vide sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling First row air conditioning	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling First row air conditioning Second row air conditioning	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone Automatic air conditioning in single temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone Automatic air conditioning in single temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling First row air conditioning Third row air conditioning Heat pump air conditioning Air quality monitoring Air quality monitoring PMZ.5 filter device in the car	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone Automatic air conditioning in single temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone Automatic air conditioning in single temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone
Rear side privacy glass Rear side sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling First row air conditioning Third row air conditioning Heat pump air conditioning Heat pump air conditioning PM2.5 filter device in the car Car air purifier Negative ion generator	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone Automatic air conditioning in single temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone
Rear side privacy glass Rear vide sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling First row air conditioning Third row air conditioning Third row air conditioning Air quality monitoring PMZ-5 filter device in the car Car air purifier	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone Automatic air conditioning in single temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone Automatic air conditioning in single temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone
Rear side privacy glass Rear vide sunshades Rear windshield sunshade In-car vanity mirror Sensor wiper function Rear wipers Heatable spout Air conditioning/cooling First row air conditioning Third row air conditioning Heat pump air conditioning Air quality monitoring PM2.5 filter device in the car Car air purifler Negative ion generator Fragrance system	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone Automatic air conditioning in single temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone Automatic air conditioning in single temperature zone	Main driver + lighting Co-pilot + lighting Rain-sensing type Automatic air conditioning in dual-temperature zone