Celeste to ET7 23 530km Standard Edition provide more Celeste to ET7 23 675km standard version 100kWh Celeste to ET7 23 675km signature Edition 100kWh

Basic information						
Manufacturer	Wei Lai		WeiLai		Wei Lai	
Level Energy type	Large car Pure electric		Large car Pure electric		Large car Pure electric	
Time to market		3/04/202		04/2023		04/2023
CLTC pure electric life[km]		53	0 Six hundred seventy five		Six hundred seventy five	
Fast charge time[h]	0.5		0.6		0.6	
Fast charge amount[%]	Eighty		Eighty		Eighty	
Slow charge time[h]	11.5			14		14
Motor[Ps]		65	3	653		653
Gearbox	1 gear fixed gear ratio		1 gear fixed gear ratio		1 gear fixed gear ratio	
Length*width*height[mm]	5101*1987*1509		5101*1987*1509		5101*1987*1509	
Body structure	4-Door 5-seater sedan		4-Door 5-seater sedan		4-Door 5-seater sedan	
Maximum speed[km/h]		20	0	200		200
Official 0-100km/h acceleration [s]	3.8		3.8		3.8	
Vehicle warranty	3 years or 12 million km		3 years or 12 million km		3 years or 12 million km	
The first owner warranty policy	Unlimited years/unlimited mileage(exclusion of li clause in an official date)	ability	Unlimited years/unlimited mileage(exclusion of liab clause in an official date)	oility	Unlimited years/unlimited mileage(exclusion of lia clause in an official date)	bility
			,			
Exterior color						
Interior color						
Body						
Length[mm]		510	1	5101		5101
Width[mm]		198	7	1987		1987
Height[mm]		150	9	1509		1509
Wheelbase[mm]		306	0	3060		3060
Front track[mm]		166		1668		1668
Rear track[mm]		167	2	1672		1672
Door open mode	Door		Door		Door	
Doors number	Four		Four		Four	
Number of seats	Five		Five		Five	
Approach angle[°]		1	4	14		14
Departure angle[^e]		1	7	17		17
Wind resistance coefficient[Cd]	0.208		0.208		0.208	
Quality of preparation [kg]		234	9	2379		2379
Full load mass [kg]		290	0	2900		2900
Motor[Ps]						
Number of driving motors	Double motor		Double motor		Double motor	
Motor layout	Front + back		Front + back		Front + back	
Type of motor	Before permanent magnet synchronous/rear AC asynchronous		Before permanent magnet synchronous/rear AC asynchronous		Before permanent magnet synchronous/rear AC asynchronous	
Total motor power [kW]		48	0	480		480
Total horsepower of motor		65	3	653		653
Total torque of motor	Eight hundred fifty		Eight hundred fifty		Eight hundred fifty	
Maximum power of front motor [kW]		18	0	180		180
Maximum torque of front motor $[N \cdot m]$	Three hundred fifty		Three hundred fifty		Three hundred fifty	
Maximum power of rear motor [kW]		30	0	300		300

Parameter configuration

Maximum torque of rear motor [N-m]	500	500	500
Battery/Supplement to			

Battery/Supplement to	

Battery type	Ternary lithium+lithium iron phosphate	Ternary lithium battery	Ternary lithium battery
Batteries brands	Jiangsu era	Jiangsu era	Jiangsu era
Battery temperature management	Low temperature heating	Low temperature heating	Low temperature heating
	Liquid cooling	Liquid cooling	Liquid cooling
CLTC pure electric life[km]	53	0 Six hundred seventy five	Six hundred seventy five
Battery power [kWh]	Seventy five	One hundred	One hundred
Battery energy density [Wh/kg]	142.1	185.44	185.44
Power consumption of 100km [kWh/100km]	16.2		16 16
The vehicle charge port	Fast-charge port	Fast-charge port	Fast-charge port
Slow charge port location			
Fast-charge port location	Car rear left side	Car rear left side	Car rear left side
Fast Charge Power[kW]	18	0 11	30 180
Fast charge time[h]	0.5	0.6	0.6
Fast charge amount[%]	Eighty	Eighty	Eighty
Slow charge time[h]	11.5		14 14
Vehicles for electric	•	•	•
Home charging pile	٥	0	0
With a car charging gun		-	
External discharge function	•	•	•
External discharge power	• 3.3 kW	• 3.3 kW	• 3.3 KW
Battery pack warranty	8 years or 12 million km	8 years or 12 million km	8 years or 12 million km

The first owner of the battery pack warranty Unlimited years/unlimited mileage(exclusion of liability clause in an official date) Unlimited years/unlimited mileage(exclusion of liability clause in an official date)

Gearbox

Gearbox description	The electric car is a single-speed gearbox	The electric car is a single-speed gearbox	The electric car is a single-speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio
Gear number	One	One	One
Chassis steering			
Drive form	Dual-motor four-wheel drive	Dual-motor four-wheel drive	Dual-motor four-wheel drive
Four-wheel drive form	The electric four-wheel drive	The electric four-wheel drive	The electric four-wheel drive
Center differential structure	-	-	-
Front suspension type	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension
Rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Power type	Electric power	Electric power	Electric power
Adjustable suspension function	Height adjustment	Height adjustment	Height adjustment
	Soft and hard adjustment	Soft and hard adjustment	Soft and hard adjustment
Adjustable suspension type	Air suspension	Air suspension	Air suspension
Vehicle body structure	Bearing type	Bearing type	Bearing type
Limited slip differential	-		
Differential lock			
Wheel brake			

Front brake type	Ventilated disc	Ventilated disc	Ventilated disc
Rear brake type	Ventilated disc	Ventilated disc	Ventilated disc
Parking brake type	Electronic Parking	Electronic Parking	Electronic Parking
	• 245/50 R19	 245/50 R19 	 245/45 R20
Front tire specifications	 245/45 R20 	 245/45 R20 	 245/50 R19
	o 255/40 R21	 255/40 R21 	o 255/40 R21
	• 245/50 R19	 245/50 R19 	 245/45 R20
Rear tire specifications	o 245/45 R20	 245/45 R20 	o 245/50 R19
	o 255/40 R21	 255/40 R21 	o 255/40 R21
Spare wheel	Only tire repair tools	Only tire repair tools	Only tire repair tools
The spare wheel is placed			-
Active safety			
ABS anti-lock	•	•	•
Brake force distribution(EBD/CBC, etc.)		•	
Brake assist(BA/EBA/BAS, etc.)	•	•	•
Traction control(ASR/TCS/TRC, etc.)			
Body stability control(ESP/DSC/VSC, etc.)			
Belt is not based reminders	The whole car	The whole car	The whole car
Tire pressure monitor	Tyre pressure display	Tyre pressure display	Tyre pressure display
The car biological monitoring			-
Passive safety			
The main driver airbag	•		
- Passenger airbag			
	•	•	•
The first row side airbag Second row side airbag	•	•	•
Second row side and ag			-
Knee airbag	•	•	
Front possessor cost suchion siches			
Front passenger seat cushion airbag			-
Rear seat belt airbags		-	-
Rear seat anti-slipped airbag		-	-
The Central airbag	The first row	The first row	The first row
The second row of the forward airbag			-
Child seat interface			•
Passive pedestrian protection		-	
·			
The lack of gas tire			-
Assist/control configuration			
Rear Parking radar			
Astern side warning system	•	•	•
Open the door collision warning		•	•
Driving aid image	360-degree panoramic images	360-degree panoramic images	360-degree panoramic images
·····99-	,g, ponumo mugoo		
Chassis perspective	low	low	low
Cruise control system	Full speed adaptive cruise	Full speed adaptive cruise	Full speed adaptive cruise
	• Exercise	Exercise	• Exercise
Driving mode selection	• Economy	• Economy	• Economy
	Standard/comfortable	Standard/comfortable	Standard/comfortable
	• Snow	Snow	• Snow

ar			
re display			

-			

•			

•			

w	
Full speed adaptive cruise	

Fatigue warning	•		
self-parking	•	•	•
Remote control parking	0	0	0
Remote call	•	•	
Engine start-stop	-	-	-
Automatic parking	•	•	•
Uphill aid A steep descent	•	•	•
Night vision system			
			-
Variable steering ratio			-
Integral active steering system			-
Wading sensing system			
Driver assistance features			
And the line auxiliary(BSM/BSD)	•	•	•
Lane Departure Warning(LDWS)	•	•	•
Lane-keeping(LKAS)	•	•	•
Lane centering maintain		•	•
Road traffic signs recognition	•	•	•
Forward collision warning	•	•	•
Rear collision warning			-
Active Brake	•	•	•
Auto lane change assist		•	
The ramp automatically exits/enters	•	•	•
Reverse tracking			-
Auxiliary driving hardware			
Driving assistance level	• L2	• L2	• L2
Driver assistance system	NIO Autonomous Driving. Nio Autonomous driving	NIO Autonomous Driving. Nio Autonomous driving	NIO Autonomous Driving. Nio Autonomous driving
Driver assistance system	NIO Autonomous Driving. Nio Autonomous driving	NIO Autonomous Driving. Nio Autonomous driving	NIO Autonomous Driving. Nio Autonomous driving
Driver assistance system Pilot aid chip	NIO Autonomous Driving. Nio Autonomous driving Four Nvidia Orin-X tablets	NIO Autonomous Driving. • Nio Autonomous driving Four Nvidia Orin-X tablets	NIO Autonomous Driving. • Nio Autonomous driving Four Nvidia Orin-X lablets
Pilot aid chip	Four Nvidia Orin-X tablets	Four Nvidia Orin-X tablets	• Four Nvidia Orin-X tablets
Pilot aid chip	Four Nvidia Orin-X tablets	Four Nvidia Orin-X tablets	• Four Nvidia Orin-X tablets
Pilot aid chip Chip computing power Laser radar brand	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong
Pilot aid chip Chip computing power	Four Nuidia Orin-X tablets 1016 TOPS	Four Nvidia Orn-X tablets 1016 TOPS	Four Nvidia Orin-X tablets 1016 TOPS
Pilot aid chip Chip computing power Laser rødar brand Lidar model Lidar number	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1	Four Nividia Orin-X tablets 1016 TOPS Innovusion Figure Dationg Falcon 1	Four Nvidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1
Pilot aid chip Chip computing power Laser redar brand Lidar model	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Dationg Falcon	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon
Pilot aid chip Chip computing power Laser rødar brand Lidar model Lidar number	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1	Four Nividia Orin-X tablets 1016 TOPS Innovusion Figure Dationg Falcon 1	Four Nvidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1
Pilot aid chip Chip computing power Laser radar brand Lidar model Lidar number	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 180 wire	Four Nvidia Orm-X tablets 1016 TOPS Imnovusion Figure Datong Falcon 1 180 wire	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire
Pilot aid chip Chip computing power Laser radar brand Lidar model Lidar number Laser radar line number Milimeter wave radar	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Fatcon 1 160 wire 5	 Four Nvidia Orm-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 al6 a 	 Four Nvidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1 160 wire \$ Bettere 6 al6 a
Pilot aid chip Chip computing power Laser radar brand Lidar model Lidar number Laser radar line number Milimeter wave radar	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Fatcon 1 160 wire 5	Four Nutilia Orin-X tablets 1016 TOPS Innovusion Figure Dationg Falcon 1 160 wire 5	Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 180 wire 5
Pilot aid chip Chip computing power Laser radar brand Lidar model Lidar number Laser radar line number Millimeter wave radar Ultrasonic radar	Four Nutria Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 a/6 a	 Four Nvidia Orm-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 al6 a 	 Four Nvidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1 160 wire \$ Bettere 6 al6 a
Pilot aid chip Chip computing power Laser radar brand Lidar model Lidar number Laser radar line number Millimeter wave radar Ultrasonic radar	Four Nutria Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 a/6 a	 Four Nvidia Orm-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 al6 a 	 Four Nvidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1 160 wire \$ Bettere 6 al6 a
Pilot aid chip Chip computing power Laser radar brand Lidar model Lidar number Laser radar line number Milimeter wave radar Ultrasonic radar	Four Nuidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1 160 wire 5 Before 6 al6 a Binocular	 Four Ntidia Orim-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 al6 a Binocular 	 Four Nvidia Orin-X tableta 1016 TOPS Innovasion Figure Datong Falcon 1 180 wire \$ Before 6 a/6 a Binocular
Pilot aid chip Chip computing power Laser radar brand Lidar model Lidar number Laser radar line number Milimeter wave radar Ultrasonic radar	Four Nuidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1 160 wire 5 Before 6 al6 a Binocular	 Four Ntidia Orim-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 al6 a Binocular 	 Four Nvidia Orin-X tableta 1016 TOPS Innovasion Figure Datong Falcon 1 180 wire \$ Before 6 a/6 a Binocular
Pilot aid chip Chip computing power Laser radar brand Lidar model Lidar number Laser radar line number Millmeter wave radar Ultrasonic radar Front awareness camera hype	Four Nuidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Fatoon 1 160 wire 5 Before 6 a/6 a Binocular 800	 Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 a/6 a Binocular 800 	 Four Nvidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1 180 wire 5 Before 6 a/6 a Binocular 800
Pilot aid chip Chip computing power Laser radar brand Lidar model Lidar number Laser radar line number Millmeter wave radar Ultrasonic radar Front awareness camera hype	Four Nuidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Fatoon 1 160 wire 5 Before 6 a/6 a Binocular 800	 Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 a/6 a Binocular 800 	 Four Nvidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1 180 wire 5 Before 6 a/6 a Binocular 800
Pilot aid chip Chip computing power Laser radar brand Lidar nodel Lidar number Laser radar line number Laser radar line number Ultrasonic radar Ultrasonic radar	 Four Nutria Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 180 wire 5 Before 6 a/6 a Binocutar 800 7 	 Four Nvidia Orn-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 a/6 a Binocular 800 7 	 Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 a/6 a Binocular 800 7
Pilot aid chip Chip computing power Laser radar brand Lidar nodel Lidar number Laser radar line number Laser radar line number Ultrasonic radar Ultrasonic radar	 Four Nutria Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 180 wire 5 Before 6 a/6 a Binocutar 800 7 	 Four Nvidia Orn-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 a/6 a Binocular 800 7 	 Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 160 wire 5 Before 6 a/6 a Binocular 800 7
Pilot aid chip Chip computing power Laser radar brand Laser radar brand Lidar number Laser radar line number Litar andar line number Millmeter wave radar Utrasonio radar Forot awareness camera hype Forvard sensing camera Pixel(millon) Environment awareness camera	 Four Nutia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1 160 wire 5 Before 6 a/6 a Binocular 800 7 800 4 	 Four Nidia Orin-X tablets 1018 TOPS Innovation Figure Datong Falcon 1 180 wire 5 Before 6 a 6 a Binocular 800 7 800 4 	 Four Nuidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 180 wine 5 Before 6 a/6 a Binocular 800 7 800 4
Pilot aid chip Chip computing power Laser radar brand Lidar number Laser radar line number Laser radar line number Milimeter wave radar Uthrasonic radar Front awareness camera type Fronverd sensing camera Pixel(million)	 Four Nuidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Fatcon Fatcon 160 wire 5 Before 6 a/6 a Brinocular 800 7 800 	 Four Nutia Orin-X tablets 1016 TOPS Innovusion Figure Dationg Falcon 1 160 wire 5 Before 6 at 6 a Bincoular 800 7 800 	 Four Nvidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Fatcon 1 160 wire 5 Before 6 a/6 a Brnocular 800 7 800
Pilot aid chip Chip computing power Laser radar brand Laser radar brand Lidar number Laser radar line number Litar andar line number Millmeter wave radar Utrasonio radar Forot awareness camera hype Forvard sensing camera Pixel(millon) Environment awareness camera	 Four Nutia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1 160 wire 5 Before 6 a/6 a Binocular 800 7 800 4 	 Four Nidia Orin-X tablets 1018 TOPS Innovation Figure Datong Falcon 1 180 wire 5 Before 6 a 6 a Binocular 800 7 800 4 	 Four Nuidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 180 wine 5 Before 6 a/6 a Binocular 800 7 800 4
Pilot aid chip Chip computing power Laser radar brand Lidar nodel Lidar nodel Laser radar line number Milimeter wave radar Utrasonic radar Portard sensing camera type Provend sensing camera Poel(million) Environmental sensing camera Poel(million) Circumferential camera Surround view camera Poel(million)	 Four Nudia Orin-X tablets 1016 TOPS Innovasion Figure Datong Fatcon 160 wire 160 wire 80 800 7 800 4 800 4 800 800<td> Four Nvidia Orm-X tablets 1016 TOPS Innovusion Figure Datong Fatcon 1 160 wire 5 Before 6 al 6 a Bincoular 800 7 800 4 300 </td><td> Four Nuidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Faicon 160 wine 5 Before 6 al 6 a Binocular 800 7 800 4 800 801 </td>	 Four Nvidia Orm-X tablets 1016 TOPS Innovusion Figure Datong Fatcon 1 160 wire 5 Before 6 al 6 a Bincoular 800 7 800 4 300 	 Four Nuidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Faicon 160 wine 5 Before 6 al 6 a Binocular 800 7 800 4 800 801
Pilot aid ohip Chip computing power Laser radar brand Ldar model Ldar model Ldar model Ldar model Ldar number Idministration number Utrasonic radar Fort awareness camera type Environment awareness camera Environmental enning camera Pixel(million) Circumferential camera Suround view camera Pixel(million) In-ca camera Environment awarenes pixel (million)	 Four Nudia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 100 wire 100 wir	 Four Nidia Orin-X tablets 1016 TOPS Innovation Figure Datong Falcon 1 180 wire 5 Before 6 a/6 a Bincoular 800 7 800 4 300 2 	 Four Nuidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 180 wine 5 Before 6 a/6 a Binocular 800 7 800 4 300 2
Pilot aid ohip Chip compating power Laser radar brand Laser radar brand Ladar model Latar model Latar radar line number Milmeter wave radar Uttrasonic radar Front awareness camera type Forward sensing camera Pose(million) Environmental sensing camera Pose(million) Circumferential camera Surround view camera Pose(million) In-car camera	 Four Nudia Orin-X tablets 1016 TOPS Innovasion Figure Datong Fatcon 160 wire 160 wire 80 800 7 800 4 800 4 800 800<td> Four Nvidia Orm-X tablets 1016 TOPS Innovusion Figure Datong Fatcon 1 160 wire 5 Before 6 al 6 a Bincoular 800 7 800 4 300 </td><td> Four Nuidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Faicon 160 wine 5 Before 6 al 6 a Binocular 800 7 800 4 800 801 </td>	 Four Nvidia Orm-X tablets 1016 TOPS Innovusion Figure Datong Fatcon 1 160 wire 5 Before 6 al 6 a Bincoular 800 7 800 4 300 	 Four Nuidia Orin-X tablets 1016 TOPS Innovusion Figure Datong Faicon 160 wine 5 Before 6 al 6 a Binocular 800 7 800 4 800 801
Pilot aid ohip Chip computing power Laser radar brand Ldar model Ldar model Ldar model Ldar model Ldar number Idministration number Utrasonic radar Fort awareness camera type Environment awareness camera Environmental enning camera Pixel(million) Circumferential camera Suround view camera Pixel(million) In-ca camera Environment awarenes pixel (million)	 Four Nudia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 100 wire 100 wir	 Four Nidia Orin-X tablets 1016 TOPS Innovation Figure Datong Falcon 1 180 wire 5 Before 6 a/6 a Bincoular 800 7 800 4 300 2 	 Four Nuidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 180 wine 5 Before 6 a/6 a Binocular 800 7 800 4 300 2
Pilot aid ohip Chip computing power Laser radar brand Ldar model Ldar model Ldar model Ldar model Laser radar line number Idrasonic radar Prott awareness camera type Provard sensing camera Pixel(millon) Environmental sensing camera Pixel(millon) Circumferential camera Surrourd view camera Pixel(millon) In-car camera Edemail configuration Syleight type Light sense scenen	 Four Nudia Orin-X tablets 1016 TOPS Innovasion Figure Datong Faicon 109 wire 109 wire 109 wire 109 bare 6 a/6 a Binocular Binocular 200 4 300 4 300 2 Segmented non-opening skylights 	 Four Nuidia Orim-X tablets 1016 TOPS Innovusion Figure Datong Falcon 1 180 wire 5 Before 6 a6 a Binocutar 800 7 800 4 300 2 Segmented non-opening skylights 	 Four Nuidia Orin.X tablets 1018 TOPS Innovusion Figure Datong Falcon 100 wine 5 Before 6 a/6 a Binocular 800 7 800 4 300 2 Segmented non-opening skylights
Pilot aid ohip Chip computing power Laser radar brand Laser radar brand Lidar model Lidar model Later radar line number Idranomic radar Idranomic radar Fort awareness camera type Environmental sensing camera Pixel(million) Circumferential camera Suround view camera Pixel(million) Lacar camera Suround view camera Pixel(million) Lacar camera Suround view camera Pixel(million) Lacar camera Light sense screen Light sense screen Sports appearame kil	 Four Nudia Orin-X tablets 1016 TOPS Innovation Figure Datong Falcon 100 wire 100 wir	 Four Nidia Orin-X tablets 1016 TOPS Innovation Figure Datong Falcon 1 180 wire 5 Before 6 a 6 a Bincoular 800 7 800 1 800 2 Segmented non-opening skylights Segmented non-opening skylights 	 Four Nuidia Orin.X tablets 1016 TOPS Innovation Figure Datong Falcon 180 wine 5 Before 6 a/6 a Binocular 800 7 800 1 900 2 Segmented non-opening skylights Segmented non-opening skylights
Pilot aid ohip Chip computing power Laser radar brand Ldar model Ldar model Ldar model Ldar model Laser radar line number Idrasonic radar Prott awareness camera type Provard sensing camera Pixel(millon) Environmental sensing camera Pixel(millon) Circumferential camera Surrourd view camera Pixel(millon) In-car camera Edemail configuration Syleight type Light sense scenen	 Four Nudia Orin-X tablets 1016 TOPS Innovation Figure Datong Falcon 1 160 wire 5 Before 6 al 6 a Binocular 800 7 800 4 300 2 Segmented non-opening skylepts Segmented non-opening skylepts 	 Four Nidia Orin-X tablets 1016 TOPS Innovation Figure Datong Falcon 1 180 wire 5 Before 6 a 6 a Bincoular 800 7 800 1 300 2 Segmented non-opening skylights Segmented non-opening skylights 	 Four Nuidia Orin-X tablets 1016 TOPS Innovasion Figure Datong Falcon 1 180 wire 5 Before 6 a/6 a Binocular 800 7 800 1 800 2 Segmented non-opening skylights - Segmented non-opening skylights

Electrical suction door	The whole car	The whole car	• The whole car
Automatic opening and closing of the door	-	-	-
Frameless door	•	•	
Side sliding door	-		
Roof rack	-		-
	The remote control key	The remote control key	The remote control key
Key type	Bluetooth key	Bluetooth key	Bluetooth key
	NFC/RFID Key	NFC/RFID Key	NFC/RFID Key
	UWB digital key	UWB digital key	UWB digital key
Keyless start	•	•	•
Keyless entry	The whole car	The whole car	The whole car
Hidden electric door handle	•	•	•
Active closed grille	•	•	
Electric tailgate	•	•	•
The tailgate position memory	•	•	•
Induction tailgate	•	•	•
The rear door glass to separate open			
Car side foot pedal			
Low-speed driving warning tone	•	·	•
Sentinel(clairvoyance)mode	•	•	
Trailer hook	0	0	0
Trailer to take power port	0	0	0
Internal configuration			
Steering wheel material	Faux leather Leather	Faux leather Leather	Genuine leather
	Power up and down+front and rear adjustment	Power up and down+front and rear adjustment	Power up and down+front and rear adjustment
Stearing wheel adjustment	Power up and down+front and rear adjustment	Power up and down+front and rear adjustment	 Power up and down+front and rear adjustment
Steering wheel adjustment	Power up and down+front and rear adjustment Steering wheel memory	Power up and down+front and rear adjustment Steering wheel memory	Power up and down+front and rear adjustment Steering wheel memory
Steering wheel adjustment The shift in the form			
	Steering wheel memory	Steering wheel memory	Steering wheel memory
The shift in the form	Steering wheel memory Electronic gear the shift	Steering wheel memory Electronic gear the shift	Steering wheel memory Electronic gear the shift
The shift in the form Multifunction steering wheel	Steering wheel memory Electronic gear the shift	Steering wheel memory Electronic gear the shift	 Steering wheel memory Electronic gear the shift
The shift in the form Multifunction steering wheel Steering wheel shift	Steering wheel memory Electronic gear the shift	Steering wheel memory Electronic gear the shift	Steering wheel memory Electronic gear the shift
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel heater	Steering wheel memory Electronic gear the shift	Steering wheel memory Electronic gear the shift	Steering wheel memory Electronic gear the shift
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel heater Trip computer display Full LCD dashboard	Steering wheel memory Electronic gear the shift Color Color	Steering wheel memory Electronic gear the shift . Cotor Cotor	Sitering wheel memory Electronic gear the shift Color
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel heater Trip computer display Full LCD dashboard Dashboard screen size	Steering wheel memory Electronic gear the shift Color Color 102	Steering wheel memory Electronic gear the shift Color to Color 10.2	 Steering wheel memory Electronic gear the shift . Color . 10.2
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel heater Trip computer display Full LCD dashboard	Steering wheel memory Electronic gear the shift Color Color	Steering wheel memory Electronic gear the shift . Cotor Cotor	Sitering wheel memory Electronic gear the shift Color
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel heater Trip computer display Full LCD dashboard Dashboard screen size	Steering wheel memory Electronic gear the shift Color Color 102	Steering wheel memory Electronic gear the shift Color to Color 10.2	 Steering wheel memory Electronic gear the shift . Color . 10.2
The shift in the form Multifunction stearing wheel Stearing wheel shift Stearing wheel shift Stearing wheel heater Trip computer display Full LCD dashboard Dashboard screen size The meter screen material	 Steering wheel memory Electronic gear the shift 10.2 . . LCD . <	 Steering wheel memory Electronic gaar the shift 10.2 . LCD . . . 1920 x 532 	 Steering wheel memory Electronic gear the shift 10.2 . <li< td=""></li<>
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel heater Trip computer display Full LCD dashboard Dashboard screen size The meter screen material	Steering wheel memory Electronic gear the shift Color Color 102 LCD	Steering wheel memory Electronic gear the shift Color 10.2 LCD	 Steering wheel memory Electronic gear the shift . Color 10.2 LCD
The shift in the form Multifunction stearing wheel Stearing wheel shift Stearing wheel shift Stearing wheel heater Trip computer display Full LCD dashboard Dashboard screen size The meter screen material	 Steering wheel memory Electronic gear the shift 10.2 . . LCD . <	 Steering wheel memory Electronic gaar the shift 10.2 . LCD . . . 1920 x 532 	 Steering wheel memory Electronic gear the shift 10.2 . <li< td=""></li<>
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel shift Steering wheel heater Trip computer display Full LCD dashboard Dashboard screen size The meter screen material The meter screen material	 Steering wheel memory Electronic gear the shift 10.2 . . LCD . <	 Steering wheel memory Electronic gaar the shift 10.2 . LCD . . . 1920 x 532 	 Steering wheel memory Electronic gear the shift 10.2 . <li< td=""></li<>
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel shift Steering wheel heater Trip computer display Full LCD dashboard Dashboard screen size The meter screen matarial The meter screen matarial The meter screen pixel density[PPI]	 Steering wheel memory Electronic gear the shift 10.2 . . LCD . <	 Steering wheel memory Electronic gaar the shift 10.2 . LCD . . . 1920 x 532 	 Steering wheel memory Electronic gear the shift 10.2 . <li< td=""></li<>
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel shift Steering wheel heater Trip computer display Full LCD dashboard Dashboard screen naterial The meter screen material The meter screen material The meter screen pixel density[PPI] HUD head-up display Bullt-in car DVR	 Steering wheel memory Electronic gear the shift 102 . 	 Steering wheel memory Electronic gear the shift . .<	 Steering wheel memory Electronic gear the shift . . . Color . 10.2 . 10.2
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel shift Steering wheel heater Trip computer display Ful LCD dashboard Dashboard screen size Dashboard screen material Dashboard screen material The meter screen material The meter screen pixel densiby[PPI] HUD head-up display Bult-in car DVR	 Steering wheel memory Electronic gear the shift 102 . 102 . <l< td=""><td> Steering wheel memory Electronic gear the shift . .<</td><td> Steering wheel memory Electronic gear the shift . . . Color . 10.2 . 10.2</td></l<>	 Steering wheel memory Electronic gear the shift . .<	 Steering wheel memory Electronic gear the shift . . . Color . 10.2 . 10.2
The shift in the form Multifunction stearing wheel Stearing wheel shift Stearing wheel shift Stearing wheel heater Trip computer display Full LCD dashboard Dashboard screen size Dashboard screen material The meter screen material The meter screen material The meter screen pixel density[PP] HUD head-up display Bull-in car DVR Mublie phone wireless charging	 Steering wheel memory Electronic gear the shift 102 . 102 . <l< td=""><td> Steering wheel memory Electronic gear the shift . .<</td><td> Steering wheel memory Electronic gear the shift . . . Color . 10.2 . 10.2</td></l<>	 Steering wheel memory Electronic gear the shift . .<	 Steering wheel memory Electronic gear the shift . . . Color . 10.2 . 10.2
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel shift Steering wheel heater Trip computer display Full LCD dashboard Dashboard screen size Dashboard screen material Dashboard screen material The meter screen material The meter screen material The meter screen pixel densiby(PPI] HUD head-up display Bult-in car DVR Mublle phone wireless charging ETC device Active noise reduction	 Steering wheel memory Electronic gear the shift . Color Color 10.2 10.2 10.2 10.2 158 . . The first row . 	 Steering wheel memory Electronic gaar the shift . Calor Color 10.2 10.2 10.2 10.2 10.2 10.2 10.2 10.4 The first row . 	 Steering wheel memory Electronic gear the shift . . . Color . 10.2 . 10.2
The shift in the form Multifunction stearing wheel Stearing wheel shift Stearing wheel shift Stearing wheel shaft Trip computer display Full LCD dashboard Dashboard screen size Dashboard screen size The meter screen material The meter screen material The meter screen resolution[pr] HUD head-up display Bullt-in car DVR Mubile phone wireless charging ETC device Active noise reduction	 Stearing wheel memory Electronic gear the shift . Calor Calor 10.2 <l< td=""><td> Steering wheel memory Electronic gaar the shift 10.2 . <li< td=""><td> Steering wheel memory Electronic gear the shift . . . Color . 10.2 . 10.2</td></li<></td></l<>	 Steering wheel memory Electronic gaar the shift 10.2 . <li< td=""><td> Steering wheel memory Electronic gear the shift . . . Color . 10.2 . 10.2</td></li<>	 Steering wheel memory Electronic gear the shift . . . Color . 10.2 . 10.2
The shift in the form Multifunction stearing wheel Stearing wheel shift Stearing wheel shift Stearing wheel shift Stearing wheel heater Trip computer display Full LCD dashboard Dashboard screen size Dashboard screen size The meter screen material The meter screen material The meter screen material The meter screen pixel density[PPI] HUD head-up display Bulk-in car DVR Bulk-in car DVR Mobile phone wireless charging ETC device Active noise reduction Power adjustable pedals Single pedal mode	 Steering wheel memory Electronic gear the shift . . . Calor . . 10.2 .	 Steering wheel memory Elactronic gaar the shift 10.2 . 10.2 . .	 Steering wheel memory Electronic gear the shift . . . Color . 10.2 . 10.2
The shift in the form Multifunction steering wheel Steering wheel shift Steering wheel shift Steering wheel shaft Trip computer display Full LCD dashboard Dashboard screen size The meter screen material The meter screen material The meter screen material The meter screen neolution[pd] The meter screen pixel density[PPI] Mublie phone wireless charging ETC device Active noise reduction Power adjustable pedals Single pedal mode Seat configuration	 Steering wheel memory Electronic gear the shift . Calor Calor 10.2 <l< td=""><td> Steering wheel memory Electronic gaar the shift 10.2 . <li< td=""><td> Steering wheel memory Electronic gear the shift . .<</td></li<></td></l<>	 Steering wheel memory Electronic gaar the shift 10.2 . <li< td=""><td> Steering wheel memory Electronic gear the shift . .<</td></li<>	 Steering wheel memory Electronic gear the shift . .<

The main driving seat electric adjustment	With memory electric adjustment	With memory electric adjustment	With memory electric adjustment
Front passenger seat electric adjustment	With memory electric adjustment	With memory electric adjustment	With memory electric adjustment
	Front and rear adjustment	Front and rear adjustment	Front and rear adjustment
	Backrest adjustment	Backrest adjustment	Backrest adjustment
The main driving seat adjustment mode	Height adjustment(4-Way)	Height adjustment(4-Way)	Height adjustment(4-Way)
	Lumbar adjustment(4-Way)	Lumbar adjustment(4-Way)	Lumbar adjustment(4-Way)
	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment
	Front and rear adjustment	Front and rear adjustment	Front and rear adjustment
	Backrest adjustment	Backrest adjustment	Backrest adjustment
Front passenger seat adjustment mode	Height adjustment(4-Way)	Height adjustment(4-Way)	Height adjustment(4-Way)
	Lumbar adjustment(4-Way)	Lumbar adjustment(4-Way)	Lumbar adjustment(4-Way)
	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment
	Heating	Heating	Heating
The first row of seats features	Ventilation	Ventilation	Ventilation
	Massage	• Massage	Massage
Boss Key			-
The second row of seats electric adjustment			
The second-row seat adjustment			-
	Heating	Heating	Heating
The second-row seat feature	Ventilation	Ventilation	Ventilation
	• Massage	Massage	Massage
	The first row	The first row	The first row
Center armrest	Second row	Second row	Second row
Seat layout	• 2+3	• 2+3	• 2+3
The rear seats recline way			-
Rear seats power recline			-
Rear Cup holder	Second row	Second row	Second row
Heating/cooling Cup holder			-
Rear folding Board			
Car Machine/Internet			
Control color screen	Touch OLED screen	Touch OLED screen	Touch OLED screen
In the control screen size	• 12.8	• 12.8	• 12.8
In the control screen material	AMOLED	AMOLED	AMOLED
In the control screen resolution[px]	• 1728 × 1888	• 1728 × 1888	• 1728 × 1888
Pixel density of center control screen	• 200	• 200	• 200
The Deputy driving the screen			-
Car system	Banyan tree	Banyan tree	Banyan tree
Engine chip	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
Engine system memory (GB)	• 16	• 16	• 16
Engine system storage (GB)	• 256	• 256	• 256
Car network	• 5G	• 5G	• 5G
OTA upgrade	Complete vehicle OTA	Complete vehicle OTA	Complete vehicle OTA
C upgraue	- complete venicle UTA	- comprete venicle UTA	- Somplete venifile UTA

	WiFi connection	WiFi connection	WiFi connection
Car WiFi function	WiFi hotspot	WiFi hotspot	WiFi hotspot
Car navigation maps	•	•	•
High-precision map	•	•	•
V2X communication	•	•	•
Roadside assistance call	•	•	•
Bluetooth car phone	•	•	•
Mobile Internet/mapping		-	-
Voice assistant Wake-up word	• Hi, NOMI	• Hi, NOMI	• Hi, NOMI
	The first row	The first row	The first row
Speech partition Wake-up	Second row	Second row	Second row
Voice-free Wake-up	•	•	•
Voice continuous recognition			
Voice continuous recognition		•	
	Multimedia system	Multimedia system	Multimedia system
Speech recognition control function	Navigation	Navigation	Navigation
	Telephone	Telephone	Telephone
	Air conditioning	Air conditioning	Air conditioning
Gesture control		-	-
Facial recognition	Door control	Door control	Door control
	Air conditioning control	Air conditioning control	Air conditioning control
	Charging management	Charging management	Charging management
Remote control function			
	The condition of the car a query/diagnostic	The condition of the car a query/diagnostic	 The condition of the car a query/diagnostic
	Vehicle positioning/paging car	Vehicle positioning/paging car	 Vehicle positioning/paging car
Entertainment			
Entertainment In-vehicle apps market			
	•	•	•
In-vehicle apps market	- • USB	- • USB	- • USB
In-vehicle apps market Car CD/DVD Multimedia/charging interface	- • USB • Type C	- • USB • Type-C	- • USB • Type-C
In-vehicle apps market Car CD/DVD	- • USB	- • USB	- • USB
In-vehicle apps market Car CD/DVD Multimedia/charging interface	- • USB • Type C	- • USB • Type-C	- • USB • Type-C
In-vehicle apps market Car CD/DVD Multimedia/charging Interface USB/Type-C ports quantity In-car entertainment features Analog DIN	- • USB • Type-C • Front Strear 2	- USB • Type-C • Front 3/rear 2	• USB • Type-C • Front 3/rear 2
In-vehicle apps market Car CD/DVD Multimedia/charging interface USB/Type-C ports quantity In-car entertainment features	- • USB • Type-C • Front 3/rear 2 • K song	- • USB • Type-C • Front Strear 2 • K song	- • USB • Type-C • Front 3/rear 2 • K song
In-vehicle apps market Car CD/DVD Multimedia/charging Interface USB/Type-C ports quantity In-car entertainment features Analog DIN	- • USB • Type-C • Front 3/rear 2 • K song	- • USB • Type-C • Front Strear 2 • K song	- • USB • Type-C • Front 3/rear 2 • K song
In-vehicle apps market Car CD/DVD Multimedia/charging interface USB/Type-C ports quantity In-car entertainment features Analog DIN Rear control multimedia	- USB Type-C Front 3/rear 2 K song - 1	- • USB • Type-C • Front Strear 2 • K song •	- • USB • Type-C • Front 3/rear 2 • K song •
In-vehicle apps market Car CD/DVD Multimedia/charging interface USB/Type-C ports quantity In-car entertainment features Analog DIN Rear control multimedia	- • USB • Type-C • Front 3/rear 2 • K song •	- • USB • Type-C • Front Strear 2 • K song •	- • USB • Type-C • Front 3/rear 2 • K song •
In-vehicle apps market Car CD/DVD Multimedia/charging interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number	- USB Type-C Front 3/rear 2 K song - 1	- USB • Type-C • Front 3rear 2 • K song	 USB Type-C Front 3/rear 2 K song . 1
In-vehicle apps market Car CD/DVD Multimedia/charging interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number	 USB Type-C Front 3/rear 2 K song 1 6.6 	USB Type-C Front 3rear 2 K song	USB Type-C Front 3/rear 2 K song
In-vehicle apps market Car CD/DVD Multimedia/charging interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number	 USB Type-C Front 3/rear 2 K song 1 6.6 	USB Type-C Front 3rear 2 K song	USB Type-C Front 3/rear 2 K song
In-vehicle apps market Gar CDIDVD Multimedia/changing interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number Rear multimedia screen material	USB Type-C Front Jirear 2 K song	USB Type-C Front 3/rear 2 K song	. USB . Type-C . Front 3/rear 2 . K song
In-vehicle apps market Gar CDIDVD Multimedia/changing interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number Rear multimedia screen material	USB Type-C Front Jirear 2 K song	USB Type-C Front 3/rear 2 K song	. USB . Type-C . Front 3/rear 2 . K song
In-vehicle apps market Car CDIDVD Multimedia/changing interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number Rear multimedia screen number Rear multimedia screen naterial Rear multimedia screen material	USB Type-C Front 3/rear 2 K song	- USB • Type-C • Front 3/rear 2 • K song • • • • K • LCD • 1268 x 360	. USB . Type-C . Front 3/ear 2 . K song
In-vehicle apps market Car CDIOVD Multimedia/charging interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number Rear multimedia screen naterial Rear multimedia screen material	- USB Type-C Front 3rear 2 K song	USB Type-C Front 3frear 2 K song	ISB Type-C Front 3/rear 2 K song
In-vehicle apps market Car CDLOVD Multimedia/charging interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number Rear multimedia screen naterial Rear multimedia screen resolution[ps] Cockpit 220/V/230V power supply Luggage compartment power supply interface	. USB . Type-C . Front 3frear 2 . K aong . 1 . 6.8 . LCD . 1268 x 380	. USB . Type-C . Front 3rear 2 . K song . 1 . 6.6 . LCD . 1288 x 360	. USB . Type-C . Front 3/ear 2 . K song . 1 . 6.6 . LCD . 1258 x 360
In-vehicle apps market Car CDLOVD Multimedia/charging interface USB/Type-C ports quantity In-car entartainment features Analog DN Rear control multimedia Rear multimedia screen number Rear multimedia screen naterial Rear multimedia screen resolution[pa] Cockpt 220/V/230V power supply	. USB . Type-C . K ang . 1 . 6.6 . LCD . 1268 x 380	. USB . Type-C . Front 3trear 2 . K song . 1 . 6.6 . LCD . 1268 x 360	. USB • Type-C • Front 3/ear 2 • K song • . • 1 • 6.6 • LCD • 1268 x 360
In-vehicle apps market Gar CDIDVD Multimedial/charging interface USB/Type-C ports quentity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number Rear multimedia screen number Rear multimedia screen natorial Rear multimedia screen resolution(pd) Cockpit 220//230/ power supply Luggage compartment power supply interface Audio brand Speaker number	. USB . Type-C . K ang . K ang	. USB . Type-C . Front 3/rear 2 . K song . LCD . L268 x 360 . 1274 . 23	. USB . Type-C . K song . 1 . 6.6 . LCD . 1268 x 360 . 127 . 127
In-vehicle apps market Gar CDIDVD Multimedial-changing interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number Rear multimedia screen naterial Rear multimedia screen material Rear multimedia screen resolution(ps) Cockpit 220V/230V power supply Luggege compartment power supply interface Audio brand Spasker number Audio aution	. USB . Type-C . K ang . K ang	. USB . Type-C . Front 3/rear 2 . K song . LCD . L268 x 360 . 1274 . 23	. USB . Type-C . K song . 1 . 6.6 . LCD . 1268 x 360 . 127 . 127
In-vehicle apps market Car CDLOVD Multimedia/charging interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number Rear multimedia screen naterial Rear multimedia screen material Rear multimedia screen resolution[ps] Cockpit 220/V/230/ power supply Luggage compartment power supply interface Audio brand Spaaker number Audio audion	 USB Type-C Front 3frear 2 K ang K ang 1 6.6 LCD 1268 x 380 121 127 23 23 	 USB Type-C Front 3/rear 2 K song K song 1 6.6 LCD 1268 x 360 127 23 23 	. USB . Type-C . Front 3/ear 2 . K song
In-vehicle apps market Gar CDIDVD Multimedial/charging interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control multimedia Rear multimedia screen number Rear multimedia screen naterial Rear multimedia screen material Rear multimedia screen material Cockpit 220V/230V power supply Luggage compartment power supply interface Audio brand Spaaker number Audio audition Light function	 USB Type-C Front 3/rear 2 K anng K anng 6.6 1 6.6 1208 x 380 1207 1207<	. USB . Type-C . Front 3/rear 2 . K song . K song . 1 . 1 . 6.6 . LCD . 1258 x 360 . 127 . 23 . 23 . LED	. USB . Type-C . Front 3/rear 2 . K song . K song . 1 . 6.6 . LCD . 1258 x 360 . 127/ . 23 . 23 . LED
Invehicle apps market Car CDLOVD Muttmedial/charging interface USB/Type-C ports quantity In-car entertainment features Analog DN Rear control muttimedia Rear muttimedia screen number Rear muttimedia screen naterial Rear muttimedia screen naterial Rear muttimedia screen resolution[pd] Cockpit 220//230// power supply Luggage compartment power supply interface Audio brand Spaaker number Audio audion Lugt function	 USB Type-C Front 3rear 2 K ang K ang 1 6.6 LCD 1268 x 360 127 127 128 129 	. USB . Type-C . Front 3trear 2 . K song	. USB . Type-C . Front 3/ear 2 . K song . K song . K song . K song

	Height adjustment	Height adjustment	Height adjustment
Headlight function	Automatic opening and closing	Automatic opening and closing	Automatic opening and closing
	Adaptive distance light	Adaptive distance light	Adaptive distance light
	Delay off	Delay off	Delay off
Steering assist lamp	•	•	•
Front fog lights	• LED	• LED	• LED
Headlight washer system	-		-
Car inside atmosphere lamp	256 colors	256 colors	256 colors
Glass/mirrors			
The first row power Windows		•	
Second-row power Windows			
The window is a button lift	The whole car	The whole car	The whole car
Window anti-pinch hand function	The whole car	The whole car	The whole car
Multi-layer insulation glass	The whole car	The whole car	The whole car
	Electric adjustment	Electric adjustment	Electric adjustment
	Rearview mirror heating	Rearview mirror heating	Rearview mirror heating
	Electric folding	Electric folding	Electric folding
Outside mirror functions	Mirror memory	Mirror memory	Mirror memory
	Reversing Auto Flip	Reversing Auto Flip	Reversing Auto Flip
	Lock the car automatically folded	Lock the car automatically folded	Lock the car automatically folded
	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle
Interior features	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle
Rear side privacy glass	•	•	
Rear side sunshade		-	-
Rear side sunshade The rear windshield sunshade			
The rear windshield sunshade			■ The main driving+lamp
The rear windshield sunshade	- • The main driving+lamp	The main driving+lamp	The main driving+lamp
The rear windshield sunshade	• The main driving+lamp • Copilot+lighting	The main driving+lamp Copilot+lighting	● The main driving+lamp ● Copilot+lighting
The rear windshield sunshade Car Internalization makeup mirror Sensing wipers function Rear wiper Heated spray nozzle	 The main driving+lamp Copilot+8ghting Rain sensing type 	- • The main driving+lamp • Copilot+lighting • Rain sensing type	● The main driving+lamp ● Copilot+lighting
The rear windshield sunshade Car internalization makeup mirror Sensing wipers function Rear wiper	The main driving+lamp Copilot+lighting Rain sensing type	The main driving+lamp Copilot+lighting Rain sensing type	● The main driving+lamp ● Copilot+lighting
The rear windshield sunshade Car Internalization makeup mirror Sensing wipers function Rear wiper Heated spray nozzle	The main driving+lamp Copilot+lighting Rain sensing type	The main driving+lamp Copilot+lighting Rain sensing type	● The main driving+lamp ● Copilot+lighting
The rear windshield sunshade Car internalization makeup mirror Sensing wipers function Rear wiper Heated spray nozzle Air conditioning/tefrigeration	The main driving+lamp . Coplicit+lighting . Rain sensing type .	- • The main driving+lamp • Copilot+lighting • Rain sensing type -	The main driving Hamp Copilot+lighting Rain sensing type
The rear windshield sunshade Car internalization makeup mirror Sensing wipers function Rear wiper Heated spray nozzle Air conditioning/tefrigeration The first evacuation tone	The main driving+lamp Copilot+lighting Rain sensing type . Dual temperature zone automatic air conditioning	The main driving+lamp Copilot+lighting Rain sensing type . . Dual temperature zone automatic air conditioning	The main driving Hamp Copilot+lighting Rain sensing type
The rear windshield sunshade Car internalization makeup mirror Sensing wipers function Rear wiper Heated spray nozzle Air conditioning/terfigeration The first evacuation tone	The main driving+lamp Copilot+lighting Rain sensing type . Dual temperature zone automatic air conditioning	The main driving+lamp Copilot+lighting Rain sensing type . . Dual temperature zone automatic air conditioning	The main driving Hamp Copilot+lighting Rain sensing type
The rear windshield sunshade Car internalization makeup mirror Sansing wipers function Rear wiper Heated spray nozzle Air conditioning/refrigeration The first evacuation tone The second evacuation tone	The main driving+lamp Copilot+lighting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving+lamp Copilot+lighting Rain sensing type . . Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving Hamp Copilot-Highting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning
The rear windshield sunshade Car internalization makeup mirror Sensing wipers function Rear wiper Heated spray nozzle Air conditioning/refrigeration The first evacuation tone Third evacuation tone Heat pump air conditioning	The main driving+lamp Copilot+lighting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving+lamp Copilot+lighting Rain sensing type . . Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving Hamp Copilot-Highting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning
The rear windshield sunshade Car internalization makeup mirror Sensing wipers function Rear wiper Heated spray nozzle Air conditioning/leftigeration The first evacuation tone Third evacuation tone Heat pump air conditioning Air quality monitoring	The main driving+lamp Copilot+lighting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving+lamp Copilot+lighting Rain sensing type . . Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving Hamp Copilot-Highting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning
The rear windshield sumhade Car internalization makeup mirror Sensing wipers function Rear wiper Heated spray nozzle Air conditioning/terligeration The first evacuation tone Third evacuation tone Heat pump air conditioning Air quality monitoring PM2.5 filter device in car	The main driving+lamp Copilot+lighting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving+lamp Copilot+lighting Rain sensing type . . Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving Hamp Copilot-Highting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning
The rear windshield sunshade Car internalization makeup mirror Sensing wipern function Rear wiper Heated spray nozzle Air conditioning/refrigeration The first evacuation tone Third evacuation tone Heat pump air conditioning Air quality monitoring PM2.5 fitter device in car Car air purfiler	The main driving+lamp Copilot+lighting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving+lamp Copilot+lighting Rain sensing type . . Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving Hamp Copilot-Highting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning
The rear windshield sumhade Car internalization makeup mirror Sensing wipers function Rear wiper Heated spray nozzle Air conditioning/refrigeration The first evacuation tone Third evacuation tone Heat pump air conditioning Air quality monitoring Air quality monitoring Car air purifier Anion generator	The main driving+lamp Copilot+lighting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving+lamp Copilot+lighting Rain sensing type . . Dual temperature zone automatic air conditioning Single-zone automatic air conditioning	The main driving Hamp Copilot-Highting Rain sensing type Dual temperature zone automatic air conditioning Single-zone automatic air conditioning