Parameter configuration	Honda e:NS1 23 e models	Honda e NS1 23 e Chi version		Honda e:NS1 23 e mobile version		Honda e:NS1 23 e entry version	
Basic information							
Manufacturer	Dongfeng Honda new energy	Dongfeng Honda-new energy		Dongfeng Honda∙new energy		Dongfeng Honda new energy	
Level	Small SUV	Small SUV		Small SUV		Small SUV	
Energy type	Pure electric	Pure electric		Pure electric		Pure electric	
Time to market	26/04/2	2022 26/	/04/2022	2 26/	04/2022	2	26/04/2022
CLTC pure electric life[km]	Four hundred twenty	Four hundred twenty		Five hundred ten		Five hundred ten	
Fast charge time[h]	0.67	0.67		0.67		0.67	
Fast charge amount[%]	30-80	30-80		30-80		30-80	
Slow charge time[h]	Nine	Nine		9.5		9.5	
Slow charge amount [%]	5-100	5-100		5-100		5-100	
Motor[Ps]	One hundred eighty two	One hundred eighty two		Two hundred four		Two hundred four	
Gearbox	1 gear fixed gear ratio	1 gear fixed gear ratio		1 gear fixed gear ratio		1 gear fixed gear ratio	
Length*width*height[mm]	4390*1790*1560	4390*1790*1560		4390*1790*1560		4390*1790*1560	
Body structure	5 Door 5 seat SUV	5 Door 5 seat SUV		5 Door 5 seat SUV		5 Door 5 seat SUV	
Maximum speed[km/h]		150	150	)	150	)	150
Vehicle warranty	3 years or 12 million km	3 years or 12 million km		3 years or 12 million km		3 years or 12 million km	
	3 years or 12 million km	3 years or 12 million km		3 years of 12 million km		3 years or 12 million km	
Exterior color							
Body							
Length[mm]		1390	4390		4390		4390
Width[mm] Height[mm]		1790	1790		1790		1790
Wheelbase(mm)		2610	2610		2610		2610
Front track[mm]		1545	1535		1535		1535
Rear track[mm]	1	1550	1540	)	1540	)	1540
Minimum turning radius[m]	5.7	5.7		5.7		5.7	
Approach angle[°]		17	17	7	13	7	17
Departure angle[°]	Twenty five	Twenty five		Twenty five		Twenty five	
Doors number	Five	Five		Five		Five	
Number of seats	Five	Five		Five		Five	
Quality of preparation [kg]	•	1647	1684	4	1679	)	1692
Full load mass [kg]	Two thousand one hundred eight	Two thousand one hundred eight		Two thousand one hundred eight		Two thousand one hundred eight	
Motor[Ps]							
Number of driving motors	Single motor	Single motor		Single motor		Single motor	
Motor layout	Preface	Preface		Preface		Preface	
Type of motor	Permanent magnet synchronization	Permanent magnet synchronization		Permanent magnet synchronization		Permanent magnet synchronization	
Total motor power [kW]		134	134	5	150	)	150
Total horsepower of motor	One hundred eighty two	One hundred eighty two		Two hundred four		Two hundred four	
Total torque of motor		310	310		310	)	310
Maximum power of front motor [kW]		134	134	3	150	1	150
Maximum torque of front motor [N·m]		310	310	3	310	)	310
Battery/Supplement to							
Battery type	Ternary lithium battery	Ternary lithium battery		Temary lithium battery		Ternary lithium battery	
Batteries brands	Rui Chi new energy	Rui Chi new energy		Jiangsu era		Jiangsu era	
Battery pre-heating							
CLTC pure electric life[km]	Four hundred twenty	Four hundred twenty		Five hundred ten		Five hundred ten	
Battery power [kWh]	53.6	53.6		68.8		68.8	
Battery energy density [Wh/kg]		141	141	1	183	3	183
Power consumption of 100km [kWh/100km]	13.6	13.6		13.8		13.8	
	Slow charge port	Slow charge port		Slow charge port		Slow charge port	
The vehicle chame nort							

тте тепное мище рос				
	Fast-charge port	Fast-charge port	Fast-charge port	Fast-charge port
Fast charge time[h]	0.67	0.67	0.67	0.67
Fast charge amount[%]	30-80	30-80	30-80	30-80
Slow charge time[h]	Nine	Nine	9.5	9.5
Slow charge amount [%]	5-100	5-100	5-100	5-100
Vehicles for electric				•
Home charging pile				
With a car charging gun				
Battery pack warranty	8 years or 15 million km			
Gearbox				
Gearbox description	The electric car is a single-speed gearbox			
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio
Gear number Chassis steering	One	One	One	One
Drive form	Front-engine, front drive	Front-engine, front drive	Front-engine, front drive	Front-engine, front drive
			5,	
Four-wheel drive form				
Center differential structure				
Front suspension type	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension
Pront suspension type	wornerson independent suspension	womension independent suspension	wornerson independent suspension	warnerson independent suspension
Rear suspension type	Torsion beam non-independent suspension			
Power type	Electric power	Electric power	Electric power	Electric power
Adjustable suspension function				-
Adjustable suspension type				
Vehicle body structure	Bearing type	Bearing type	Bearing type	Bearing type
Limited slip differential				
Differential lock				
Wheel brake Front brake type	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
Rear brake type	• Disc	• Disc	Disc	• Disc
Parking brake type	Electronic Parking	Electronic Parking	Electronic Parking	Electronic Parking
Front tire specifications	• 215/60 R17	• 225/50 R18	• 225/50 R18	• 225/50 R18
Rear tire specifications	• 215/60 R17	• 225/50 R18	• 225/50 R18	• 225/50 R18
Spare wheel	No spare tire	No spare tire	No spare tire	No spare tire
The spare wheel is placed				
Active safety				
ABS anti-lock				-
Brake force distribution(EBD/CBC, etc.)	•	•	•	•
Brake assist(BA/EBA/BAS, etc.)		•	•	•
Traction control(ASR/TCS/TRC, etc.)			•	
Body stability control(ESP/DSC/VSC, etc.)	•	•	•	•
Belt is not based reminders	The whole car	The whole car	The whole car	The whole car
Tire pressure monitor	Tire pressure alarm	Tire pressure alarm	Tire pressure alarm	Tire pressure alarm
Passive safety				
The main driver airbag				•
Passenger airbag				
The first row side airbag				
Second row side airbag				
Side curtain airbags	•	•	•	•

Knee airbag				-
Front passenger seat cushion airbag				
Rear seat belt airbags				
Rear seat anti-slipped airbag				-
The Central airbag				
The second row of the forward airbag			-	
Child seat interface				•
Passive pedestrian protection				
The lack of gas tire				-
Assist/control configuration				
Front Parking radar				•
Rear Parking radar	•	•	•	•
Astern side warning system		•	•	•
Open the door collision warning				-
Driving aid image	Video of reversing	Video of reversing	Video of reversing	360-degree panoramic images
Chassis perspective				-
Cruise control system		Full speed adaptive cruise	Full speed adaptive cruise	Full speed adaptive cruise
	Exercise	Exercise	Exercise	Exercise

•

•

•

.

•

•

•

•

•

Driver assistance(L2)

Four

	Standard/comfortable
Fatigue warning	
self-parking	
Remote control parking	
Remote call	
Engine start-stop	-
Automatic parking	•
Uphill aid	•
A steep descent	
Night vision system	
Variable steering ratio	
Integral active steering system	
Wading sensing system	
Low speed four-wheel drive	-
Creep mode	
Tank tum	
Driver assistance features	
And the line auxiliary(BSM/BSD)	
Lane Departure Warning(LDWS)	
Lane-keeping(LKAS)	-
Lane centering maintain	-
Road traffic signs recognition	
Forward collision warning	
Rear collision warning	
Active Brake	
Auto lane change assist	
The ramp automatically exits/enters	

Four

• Economy

Driving mode selection

icking Auxiliary driving hardware istance level

ter wave radar

Ultrasonic radar

Circumferential camera

• Exercise
• Economy
Standard/comfortable
-

Full speed adaptive cruise
Exercise
Economy
Standard/comfortable
•
-
-
•
•
-
-
-

•

•

•

•

•

•

•

 Driver assistance(L2) 1

Four

-
-
•
•
•
•

• Economy

• •

•

•

Standard/comfortable

•
-

	Driver assistance(L2)
1	

4

1	1
The first six/the last six	

In-car camera External configuration			2	2
Skylight type	-	<ul> <li>Segmented non-opening skylights</li> </ul>	Segmented non-opening skylights	Segmented non-opening skylights
Sports appearance kit				
Electric spoller	-			-
	Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy
Electrical				
Automatic opening and closing of the door		-		
Frameless door	-	-		
Side sliding door				
Roof rack				
Car Central Lock	Central control	Central control	Central control	Central control
Key type	The remote control key	The remote control key	The remote control key	The remote control key
	· ····	· ···· · ······ · ·····	Bluetooth key	Bluetooth key
Keyless start	•	•	•	•
Keyless entry	The first row	The first row	The first row	The first row
Hidden electric door handle				
Active closed grille	-			-
			Electric opening and closing	Electric opening and closing
The Luggage compartment to open the way with the function			Sensing opening and closing of the	Sensing opening and closing of the
			Position memory	Position memory
The rear door glass to separate open				
Car side foot pedal				
Car side toot pedai	-	-		-
Low-speed driving warning tone	•	•	•	•
Sentinel(clairvoyance)mode	-			
Trailer hook	-			-
Trailer to take power port				
Internal configuration				
Steering wheel material	Plastic	Genuine leather	Genuine leather	Genuine leather
Steering wheel adjustment	Manually up and down+front and rear adjustment	Manually up and down+front and rear adjustment	Manually up and down+front and rear adjustment	Manually up and down+front and rear adjustment
The shift in the form	Push-button shifting	Push-button shifting	Push-button shifting	Push-button shifting
Multifunction steering wheel	•	•		•
Steering wheel shift	-			-
Steering wheel heater				-
Trip computer display	Color	Color	Color	Color
Full LCD dashboard				
Dashboard screen size	• 10.25	• 10.25	• 10.25	• 10.25
HUD head-up display				
	-		•	
Mobile phone wireless charging	-	The first row	The first row	The first row
ETC device	•	•	•	•
Active noise reduction		•	•	•
Power adjustable pedals	-			-
Single pedal mode				
Seat configuration				
Seat material	Faux leather	Faux leather	Faux leather	Faux leather
Sport style seat	-			-
The main driving seat electric adjustment		Electric adjustment	Electric adjustment	Electric adjustment
Front passenger seat electric adjustment				Electric adjustment

	Front and rear adjustment			
The main driving seat adjustment mode	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
	Height adjustment(2)	Height adjustment(4-Way)	Height adjustment(4-Way)	Height adjustment(4-Way)
	Front and rear adjustment			
Front passenger seat adjustment mode	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
The first row of seats features		Heating	Heating	Heating
Boss Key				
The second row of seats electric adjustment				
The second-row seat adjustment				
The second-row seat feature				Heating
The second-row sear reache	The first row	The first row	The first row	The first row
Center armrest	Second row	Second row	Second row	Second row
Third/fourth row of seats				-
Seat layout				-
The rear seats recline way	Scale down	Scale down	Scale down	Scale down
Rear seats power recline				-
Rear Cup holder	Second row	Second row	Second row	Second row
Heating/cooling Cup holder				
Rear folding Board				
Car Machine/Internet				
Control color screen	Touch the LCD screen	Touch the LCD screen	Touch the LCD screen	Touch the LCD screen
In the control screen size	• 15.1	• 15.1	• 15.1	• 15.1
The Deputy driving the screen				
Car network	• 4G	• 4G	• 4G	• 4G
OTA upgrade Car WiFi function	Car OTA     WiFi hotspot			
Satellite navigation system			•	•
Navigation traffic information display	•	•	•	•
Car map V2X communication	•	•	•	•
Roadside assistance call				
Bluetooth car phone	•	•	•	
Mobile Internet/mapping	Support CarLife	Support CarLife	Support CarLife	<ul> <li>Support CarLife</li> </ul>
Voice assistant Wake-up word	Hello, Honda	Hello. Honda	Hello. Honda	Hello, Honda
	Multimedia system	Multimedia system	Multimedia system	Multimedia system
Speech recognition control function	Navigation	Navigation	Navigation	<ul> <li>Navigation</li> </ul>
	Telephone	Telephone	Telephone	Telephone
Gesture control	Air conditioning	Air conditioning	Air conditioning	Air conditioning
Facial recognition			•	•
	Door control	Door control	Door control	Door control
Remote control function	Air conditioning control	Air conditioning control	Air conditioning control	Air conditioning control
	Vehicle to start	Vehicle to start	Vehicle to start	Vehicle to start
Entertainment				
In the control screen split-screen display				
In-vehicle apps market				
Car CD/DVD				-
Multimedia/charging interface	• Туре-С	• Type-C	• Type-C	• Type-C
USB/Type-C ports quantity	Front-Row 2	Front 2/rear 2	Front 2/rear 2	Front 2/rear 2

Car TV				
Rear control multimedia	-		•	
Cockpit 220V/230V power supply				
Luggage compartment power supply interface	-			
Audio brand Speaker number	• 4	• 6	• 6	• BOSE • 12
Audio audition	• 4	• 6	• 6	• 12
Light function	• LED	• LED	• LED	• LED
High-beam light source Lighting features	• LED	• LED	• LED	• LED
LED daytime running lights			•	
	Height adjustment	Height adjustment	Height adjustment	Height adjustment
	• might adjustment		- regn adjaanen	- rogin adjaarnan.
Headlight function	Automatic opening and closing	Automatic opening and closing	Automatic opening and closing	Automatic opening and closing
	Delay off	Adaptive distance light	Adaptive distance light	Adaptive distance light
	• Dony on	Delay off	Delay off	Delay of
Steering assist lamp		-	-	-
Front fog lights	• LED	• LED	• LED	• LED
Headlight washer system				
Car inside atmosphere lamp	Monochrome	Monochrome	Monochrome	Monochrome
Glass/mirrors				
The first row power Windows	•	•	•	•
Second-row power Windows		•	•	
The window is a button lift	The first row	The whole car	The whole car	The whole car
Window anti-pinch hand function	The first row	The whole car	The whole car	The whole car
Multi-layer insulation glass	-			
	Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment
Outside mirror functions				
	Electric folding	Rearview mirror heating	Rearview mirror heating	Rearview mirror heating
	Lock the car automatically folded	Electric folding	Electric folding	Electric folding
		Lock the car automatically folded	Lock the car automatically folded	Lock the car automatically folded
			Automatic anti-dazzle	Automatic anti-dazzle
Interior features	Manual anti-glare	Automatic anti-dazzle	Automatic anti-bazzie	Automatic anti-dazzie
			Stream media rear view mirror	Stream media rear view mirror
Rear side privacy glass				
Rear side sunshade				
The rear windshield sunshade	-	-	-	
Car internalization makeup mirror	The main driving+lamp	The main driving+lamp	The main driving+lamp	The main driving+lamp
	Copilot+lighting	Copilot+lighting	Copilot+lighting	Copilot+lighting
Sensing wipers function	-	Rain sensing type	Rain sensing type	Rain sensing type
Rear wiper Heated spray nozzle	•	•	•	•
Air conditioning/refrigeration				
The first evacuation tone	Single-zone automatic air conditioning	Dual temperature zone automatic air conditioning	Dual temperature zone automatic air conditioning	Dual temperature zone automatic air conditioning
The second evacuation tone		• Outlet	Outlet	Outlet
Third evacuation tone	-			
Heat pump air conditioning				

PM2.5 filter device in car	•	•	•	•
Car air purifier		•	•	•
Anion generator		•	•	•
Fragrance system			-	-
Car refrigerator			-	