Parameter configuration

MG MULAN 23 425km rear-drive executive MG MULAN 22 model 425km rear drive Fashion Edition MG MULAN 22 model 425km rear-drive Deluxe

Basic information

Basic information							
Manufacturers	SAIC Motor New Energy		SAIC Motor New Energy		SAIC Motor New Energy		
level	A compact car		A compact car		A compact car		
Type of energy	Pure electricity		Pure electricity		Pure electricity		
Time to market	10	/03/202	3	13/09/202	2	13/09/20	022
CLTC pure battery life [km]		42	5	42	5	4	425
Fast charge time [h]	0.47		0.47		0.47		
Fast charge capacity [%]	30-80		30-80		30-80		
Slow charging time[h]			7		7		7
Slow charge amount [%]	0-100		0-100		0-100		
Electric Motor[Ps]		17	0	17	3	1	170
Gearbox	1 gear fixed tooth ratio		1 gear fixed tooth ratio		1 gear fixed tooth ratio		
Length*width*height[mm]	4287 * 1836 * 1516		4287 * 1836 * 1516		4287 * 1836 * 1516		
Body structure	A five-door, five-seater hatchback		A five-door, five-seater hatchback		A five-door, five-seater hatchback		
Maximum speed[km/h]		16	0	16	0	1	160
Official 0-100km/h acceleration[s]	-				-		
Onicial of rookin/n acceleration[6]					-		
Vehicle warranty	3 years or 100,000 km		3 years or 100,000 km		3 years or 100,000 km		
Appearance color							
Interior color							
Body Length[mm]		428	7	428	7	43	287
Width[mm]		183		183			836
Height[mm]		151		151			516
Wheelbase[mm]		270	5	270	5	27	705
Front track[mm]		155	2	155	2	15	552
Rear track[mm]		156		156			562
How the door opens	Swing doors		Swing doors		Swing doors		
Number of doors	owing doord		5		5		5
Number of seats			5		5		5
Approach angle[°]		1	6	1	ŝ		16
Departure angle[°]		2	7	2	7		27
Minimum turning radius [m]	5.3		5.3		5.3		
Curb weight[kg]		164	1	164	1	16	641
Full load mass [kg]		206		206	2	20	062
Electric motors		200	<b>.</b>	200	-		
Number of drive motors	Single motor		Single motor		Single motor		
Motor layout	post		post		post		
Motor type	Permanent magnet synchronization		Permanent magnet synchronization		Permanent magnet synchronization		
Total motor power [kW]		12	5	12	5	1	125
Total horsepower of electric motor [Ps]		17	0	17	5	1	170
Total torque of electric motor[N·m]		25	0	25	3	2	250
Maximum power of front motor [kW]							
			-				105
Maximum power of rear motor [kW]		12	5	12	2	1	125
Maximum torque of rear motor [N·m]		25	0	25	)	1	250
Battery/Replenishment							

Battery type Lithium iron phosphate battery Lithium iron phosphate battery Lithium iron phosphate battery

Cell brand	Ningde Yi Control	Ningde Yi Control	Ningde Yi Control	
Battery temperature management	Low temperature heating	Low temperature heating	Low temperature heating	
	Liquid cooling	Liquid cooling	Liquid cooling	
CLTC pure battery life [km]		125	425	425
Battery level [kWh]		51	51	51
Battery energy density [Wh/kg]		140	140	140
Power consumption per 100km[kWh/100km]	13.3	13.3	13.3	
	Slow filling	Slow filling	Slow filling	
Vehicle charging port	Fill the mouth quickly	Fill the mouth quickly	Fill the mouth quickly	
Slow filling port position	Rear left side of the car	Rear left side of the car	Rear left side of the car	
Fast filling position	Rear left side of the car	Rear left side of the car	Rear left side of the car	
Fast charge time		28 -		28
Fast charge time [h]	0.47	0.47	0.47	
Fast charge capacity [%]	30-80	30-80	30-80	
Slow charging time[h]		7	7	7
Slow charge amount [%]	0-100	0-100	0-100	
Vehicle power exchange				
Home charging piles				
Onboard charging gun			•	
External discharge function				
External discharge power	• 2.2kW		• 2.2kW	
Battery pack warranty	8 years or 150,000 km	8 years or 150,000 km	8 years or 150,000 km	
Battery pack warranty for first owner	Unlimited years/unlimited mileage (liability exemption clause is subject to official)	Unlimited years/unlimited mileage (liability exemption clause is subject to official)	Unlimited years/unlimited mileage (liability exemptio clause is subject to official)	n
Gearbox				
Gearbox description	Single speed transmission for electric vehicles	Single speed transmission for electric vehicles	Single speed transmission for electric vehicles	

Gearbox type	Fixed tooth ratio	Fixed tooth ratio	Fixed tooth ratio
Number of gear bits	1	1	1
Chassis steering			
Drive form	Rear-rear drive	Rear-rear drive	Rear-rear drive
Four-wheel drive form	-		
Center differential structure			
Front suspension type	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension
Rear suspension type	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension
Assist type	Electric assist	Electric assist	Electric assist
Adjustable suspension function	-	-	
Adjustable suspension type	-		
Body structure	Load-bearing type	Load-bearing type	Load-bearing type
Limited-slip differential	-		-
Differential lock		-	
Wheel brakes			
Front brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type
Rear brake type	Disc type	Disc type	Disc type
Parking brake type	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	• 215/50 R17	• 215/60 R16	• 215/50 R17

Rear tire specifications	• 215/50 R17	• 215/60 R16	• 215/50 R17
spare wheel	Only tire repair tools	Only tire repair tools	Only tire repair tools
How the spare wheel is placed	-		
Proactive security			
ABS anti-lock braking	•	•	•
Braking force distribution (EBD/CBC, etc.)			
Brake assist (BA/EBA/BAS, etc.)			
Traction control (ASR/TCS/TRC, etc.)	•	•	•
Body stability control (ESP/DSC/VSC, etc.)			
Seat belt not fastened reminder	Full vehicle	Full vehicle	Full vehicle
Tire pressure monitoring	Tire pressure display	• Tire pressure display	Tire pressure display
Passive safety			
Main driver airbags Co-pilot airbag	•	•	• •
Co-pilot airbag First row of side airbags	•	•	•
Second row side airbags			
Side air curtains	-	-	
Knee airbags			
Co-pilot's saddled airbag			
Rear seatbelt airbags	-	-	-
Anti-slip airbags in the rear seats	-		
Central airbag			
Second row of positive airbags		-	-
Child seat interface	•	•	•
Passive pedestrian protection	-		
Run-flat tires Auxiliary/manipulative configuration	-	-	
Front parking radar			
Rear parking radar	•	•	•
Reversing side warning system			
Open door collision warning			
Driver assistance images	360-degree panoramic image		360-degree panoramic image
Chassis perspective			-
Cruise system	Cruise control	Cruise control	Cruise control
	Exercise	Exercise	Exercise
	Economy	Economy	Economy
Driving mode selection	Standard / Comfortable	Standard / Comfortable	Standard / Comfortable
	• 雪地	• 雪地	• 雪地
	Customization/personalization	Customization/personalization	Customization/personalization
Fatigue reminder	-		
Automatic parking		-	
Remote parking		-	-
Remote summoning			
Engine start-stop		-	
Automatic parking	•	•	•
Uphill assist	•	•	•
Steep slopes descend			
Night vision system	-		

vehicle		
pressure display		
pressure display		

-			
-			

-			

•			

## anoramic image

-			

Variable steering ratio		-	
Integral active steering system	-	-	-
Wading sensing system		-	
Assisted driving functions			
Parallel Assist (BSM/BSD)			
Parallel Assist (BSM/BSD)	-	•	
Lane Departure Warning (LDWS)			
care Departure Warning (LDWG)	-	-	
Lane keeping (LKAS)		-	-
The lane is kept centered	-	-	-
Road traffic sign recognition	-	-	
Forward collision warning	-	-	-
Rear collision warning	_	_	-
Active braking		_	
reare stating			
Automatic lane change assist			
The ramp is automatically exiting/entering			
Reversing the track	-	-	
Assisted driving hardware			
Level of driving assistance	-	-	-
Ultrasonic radar	The last 4	The last 4	The last 4
Look around at the camera	• 4 pcs		<ul> <li>4 pcs</li> </ul>
In-car camera	-	-	
External configuration			
Sunroof type	-	-	-
Sporty look kit	-	-	
Electric spoiler	-	-	
Rim material	Aluminum alloy	Aluminum alloy	Aluminum alloy
Electric suction door		-	
Automatic opening and closing of doors	-	-	
Frameless doors		-	-
Side sliding doors	-	-	
Roof racks	-	-	-
Key type	Key fob key	Key fob key	Key fob key
Keyless start			•
Keyless entry	First row	First row	First row
Hide electric door handles	-	-	
Actively closed grille		-	-
Power tailgate			-
Tailgate position memory	-	-	
Induction tailgate			
The tailgate glass opens independently	-	-	
Side footrest	-	-	-
Low-speed driving warning sound	•	•	•
Internal configuration			
Steering wheel material	Cortex	Plastic	Cortex
Steering wheel adjustment	Manual up and down + front and rear adjustment	<ul> <li>Manual up and down + front and rear adjustment</li> </ul>	<ul> <li>Manual up and down + front and rear adjustment</li> </ul>
Steering wheel adjustment	Manual up and down + front and rear adjustment	Manual up and down + front and rear adjustment	Manual up and down + front and rear adjustment
			Manual up and down + front and rear adjustment Electronic knob shift

•

Color

• • • 7 • 7

•

Color

•

Color

• 7

•

Multifunction steering wheel

Full LCD instrument cluster Gauge screen size

Steering wheel shifting The steering wheel is heated Trip computer display

HUD heads-up display			
Built-in dashcam			
Wireless charging of mobile phones	-		-
ETC device	0		
Active noise cancellation			-
Electrically adjustable pedals			
Single pedal mode			
Seat configuration			
	Leather/fabric mix		Leather/fabric mix
Seat material	<ul> <li>Imitation leather</li> </ul>	Fabric	○ Imitation leather
Sport-style seats			
The main driver's seat is electrically adjusted	Electric adjustment		Electric adjustment
The passenger seat is electrically adjustable			
	Front and rear adjustment	Front and rear adjustment	Front and rear adjustment
	Backrest adjustment	Backrest adjustment	Backrest adjustment
Main driver seat adjustment			Dackrest aujustinent
	High and low adjustment (2 directions).	High and low adjustment (2 directions).	High and low adjustment (2 directions).
	Front and rear adjustment	Front and rear adjustment	Front and rear adjustment
Co-pilot seat adjustment			
	Backrest adjustment	Backrest adjustment	Backrest adjustment
First row seat function	Heating		Heating
Boss key	•	-	
The second row seats are electrically adjustable			
·····,,			
Second row seat adjustment			
Second row seat function			
Third row seat function Central armrest	First row	First row	- • First row
Seat layout	• 2+3	• 2+3	• 2+3
How the rear seats are reclined	Proportional down	Proportional down	Proportional down
The rear seats are reclined electrically		-	
Rear cup holders			
Heating/cooling cup holders			
Rear folding table			
Vehicle/Connected			
Central color screen	Touch LCD screen	Touch LCD screen	Touch LCD screen
Central screen size	• 10.25	• 10.25	• 10.25
Co-pilot screen			
Vehicle system	Zebra Venus	Zebra Venus	Zebra Venus
Vehicle-machine network	• 4G	• 4G	• 4G
OTA upgrades	• 整车OTA	• 整车OTA	• 整车OTA
Car WiFi function	WiFi hotspot     Gaode	WiFi hotspot     Gaode	WiFi hotspot     Gaode
Car navigation map	• Gaode	• Gaode	• Gaode
Roadside assistance calls			-
Bluetooth/car phone	•	•	•

Phone interconnection/mapping		-	
Voice partition wake-up	Driver	Driver	Driver
Speech continuous recognition	•	•	•
	Multimedia system	Multimedia system	Multimedia system
Voice recognition control function	Navigation		Navigation
	Phone     Air conditioning		Phone     Air conditioning
Gesture control			
Facial recognition		-	
	Door control		Door control
	Vehicle starting	Vehicle starting	Vehicle starting
Remote control function	Air conditioning control	Air conditioning control	Air conditioning control
	Vehicle condition inquiry/diagnosis		Vehicle condition inquiry/diagnosis
	venice condition inqui yrangrosis		venicle condition inqui yrulagilosis
Audio-visual entertainment			
In-vehicle APP application market			
Car CD/DVD		-	
Multimedia/charging interface	• USB	• USB	• USB
	• Type-C	• Type-C	• Type-C
Number of USB/Type-C interfaces	• 2 in the front row / 1 in the back row	• 2 in the front row / 1 in the back row	2 in the front row / 1 in the back row
Rear control multimedia		-	-
Cockpit 220V/230V power supply			
Power connector for luggage compartment		-	
Audio brand		-	
Number of speakers	• 4	• 4	• 4
Sound audition	• 4	• 4	• 4
Light function			
Low beam light source	• LED	• LED	• LED
High beam light source	• LED	• LED	• LED
Lighting features		-	
LED daytime running lights	•	•	•
	Height adjustment	Height adjustment	Height adjustment
Headlight function	Automatic opening and closing	Automatic opening and closing	Automatic opening and closing
	Delayed closing	Delayed closing	Delayed closing
	·,	·	·
Turn assist lights	-	-	
Front fog lights	-	-	-
Headlight cleaning device	-	-	
Interior mood lights		-	
Glass/mirrors			
First row of power windows	•	•	•
Second row of power windows	•	•	•
The window is raised and lowered at the touch of a buttor	Full vehicle	• 驾驶位	Full vehicle
Window anti-pinch function	Full vehicle	● 驾驶位	Full vehicle

Multi-layer acoustic glass Electric adjustment Heated mirrors Exterior mirror function Electric folding

e back row

- Electric adjustment
- Heated mirrors
- Electric folding

	Automatic folding of the lock car		Automatic folding of the lock car
Interior mirror function	Manual anti-glare	Manual anti-glare	Manual anti-glare
Rear side privacy glass	-	-	
Rear side sunshades			
Rear windshield sunshade		-	
In-car vanity mirror	Main driver     Co-pilot	Main driver     Co-pilot	Main driver     Co-pilot
Sensor wiper function			
Rear wipers			-
Heatable spout		-	
Air conditioning/cooling			
First row air conditioning	Automatic air conditioning in single temperature zone	Automatic air conditioning in single temperature zone	Automatic air conditioning in single temperature zone
Second row air conditioning			
Third row air conditioning			
Heat pump air conditioning	<ul> <li>2,000 yuan is optional</li> </ul>	∘ 2,000 yuan is optional	<ul> <li>2,000 yuan is optional</li> </ul>
Air quality monitoring			
PM2.5 filter device in the car	•		
Car air purifier	-		-
Negative ion generator	-		
Fragrance system			-
Car refrigerator			