Parameter configuration	Kia K3 23 1.5 L CVT Luxury Edition	Kia K3 21 facelift 1.5 L CVT Fashion Edition

Basic information

 Manufacturer
 Kia
 Kia

 Level
 Compact car
 Compact car

 Energy type
 Gasoline
 Gasoline

 Environmental standards
 Six countries
 Six countries

Time to market 13/02/2023 21/06/2021

Engine 1.5 L 115 HP L4 1.5 L 115 HP L4

 Max power/max torque
 84.5 kW/144N·m
 84.5 kW/144N·m

Gearbox 8-speed continuously variable transmission (CVT) 8-speed continuously variable transmission (CVT)

 Length*width*height[mm]
 4666*1780*1450
 4660*1780*1450

 Body structure
 4-Door 5-seater sedan
 4-Door 5-seater sedan

Maximum speed[km/h] 190 190

WLTC combined fuel consumption[L/100km] 5.77 -

NEDC combined consumption[L/100km] - 5.4

Vehicle warranty 3 years or 10 million km 3 years or 10 million km

Exterior color Interior color

Body
Length[mm]

Length[mm] 4666 4660

Width[mm] One thousand seven hundred eighty One thousand seven hundred eighty

 Height[mm]
 1450
 1450

 Wheelbase[mm]
 2700
 2700

Front track[mm] 1564 One thousand five hundred fifty eight

Rear track[mm] 1555 One thousand five hundred forty nine

 Door open mode
 Door
 Door

 Doors number
 Four
 Four

 Number of seats
 Five
 Five

Approach angle[*] 14 14

Departure angle[*] Twelve Twelve

Loaded with a minimum ground clearance[mm] One hundred twenty -

No-load minimum ground clearance[mm] One hundred seventy One hundred seventy

Minimum turning radius[m] 5.3 5.3

 Fuel tank volume[L]
 53
 53

 Quality of preparation [kg]
 1262
 1230

Full load mass [kg] 1680 1680

Engine				
Engine model	G4FL		G4FL	
Displacement[mL]		1497		1497
Displacement[L]	1.5		1.5	
Intake form	Naturally aspirated		Naturally aspirated	
Engine layout	Horizontal position		Horizontal position	
Cylinder arrangement form	L		L	
Number of cylinders[a]	Four		Four	
Each cylinder valve number[a]	Four		Four	
Gas distribution mechanism	DOHC		DOHC	
Maximum power [kW]	84.5		84.5	
Maximum horsepower[Ps]		115		115
Maximum power speed[rpm]		6300		6300
Maximum torque[N·m]		144		144
Maximum torque speed[rpm]	Four thousand five hundred		Four thousand five hundred	
The maximum net power[kW]	84.5		84.5	
Fuel label	Ninety two		Ninety two	
Oil supply	Multi-point EFI		Multi-point EFI	
Cylinder head material	Aluminum alloy		Aluminum alloy	
Cylinder body material	Aluminum alloy		Aluminum alloy	
Environmental standards	Six countries		Six countries	
Gearbox				
Gearbox description	CVT continuously variable transmission(analog 8-spe	eed)	CVT continuously variable transmission(analog 8-sp	peed)
Gearbox type	Continuously variable transmission(CVT)		Continuously variable transmission(CVT)	
Gear number Chassis steering		8		8
Drive form	Front-engine, front drive		Front-engine, front drive	
Four-wheel drive form	-		-	
Center differential structure				
Front suspension type	McPherson independent suspension		McPherson independent suspension	
Rear suspension type	Torsion beam non-independent suspension		Torsion beam non-independent suspension	
Power type	Electric power		Electric power	
Adjustable suspension function	-		-	
Adjustable suspension type	-		-	

	Bearing type	bearing type
Limited slip differential		
Differential lock	•	
Wheel brake		
Front brake type	Ventilated disc	Ventilated disc
Rear brake type	• Disc	• Disc
Parking brake type	Electronic Parking	Electronic Parking
Front tire specifications	• 205/55 R16	• 225/45 R17
Rear tire specifications	• 205/55 R16	• 225/45 R17
Spare wheel	Non-full-size	Non-full-size
The spare wheel is placed	Back-up compartment	Back-up compartment
Active safety		
ABS anti-lock	•	•
Brake force distribution(EBD/CBC, etc.)	•	
Brake assist(BA/EBA/BAS, etc.)	•	•
Traction control(ASR/TCS/TRC, etc.)	•	•
Body stability control(ESP/DSC/VSC, etc.)		
body stability control(ESP/DSC/VSC, etc.)	•	•
Belt is not based reminders	The first row	The first row
Tire pressure monitor	Tyre pressure display	Tyre pressure display
Passive safety		
The main driver airbag	•	•
Passenger airbag	•	
	•	•
The first row side airbag		•
The first row side airbag Second row side airbag	•	•
	•	•
Second row side airbag	• • • •	• • • •
Second row side airbag Side curtain airbags	• • • • •	•
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag	•	•
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags	• • • • • • • •	•
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags	•	
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags Rear seat anti-slipped airbag	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags Rear seat anti-slipped airbag The Central airbag The second row of the forward airbag	• • • • • • • • • • • • • • • • • • •	
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags Rear seat anti-slipped airbag The Central airbag	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags Rear seat anti-slipped airbag The Central airbag The second row of the forward airbag		
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags Rear seat anti-slipped airbag The Central airbag The second row of the forward airbag Child seat interface	• • • • • • • • • • • • • • • • • • •	
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags Rear seat anti-slipped airbag The Central airbag The second row of the forward airbag Child seat interface Passive pedestrian protection		
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags Rear seat anti-slipped airbag The Central airbag The second row of the forward airbag Child seat interface Passive pedestrian protection The lack of gas tire		
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags Rear seat anti-slipped airbag The Central airbag The second row of the forward airbag Child seat interface Passive pedestrian protection The lack of gas tire Assist/control configuration		• • • • • • • • • • • • • • • • • • •
Second row side airbag Side curtain airbags Knee airbag Front passenger seat cushion airbag Rear seat belt airbags Rear seat anti-slipped airbag The Central airbag The second row of the forward airbag Child seat interface Passive pedestrian protection The lack of gas tire Assist/control configuration Front Parking radar		

Bearing type

Vehicle body structure

Bearing type

Open the door collision warning		-
Driving aid image	Video of reversing	Video of reversing
Chassis perspective		
Cruise control system	Cruise control	Cruise control
	• Exercise	• Exercise
Driving mode selection	• Economy	• Economy
·	Standard/comfortable	
Fatigue warning		
self-parking		-
Remote control parking		-
Remote call	-	-
Engine start-stop	Ö	0
Automatic parking	•	•
Uphill aid	•	•
A steep descent	•	-
Night vision system	•	-
Variable steering ratio		-
Integral active steering system		-
Wading sensing system		
Driver assistance features		
And the line auxiliary(BSM/BSD)		•
Lane Departure Warning(LDWS)		
,		
Lane-keeping(LKAS)	-	-
Lane centering maintain		-
Road traffic signs recognition		-
Forward collision warning		-
Rear collision warning		-
Active Brake		-
Auto lane change assist		-
The ramp automatically exits/enters		
Reverse tracking Auxiliary driving hardware	•	
Driving assistance level		-
Ultrasonic radar		After 4
Front awareness camera type		
. толк аменопово ошнога уре		
Circumferential camera		-
In-car camera	•	-
External configuration Skylight type	Single roof	Single roof
Sports appearance kit		-
Electric spoiler	-	
Rim material	Aluminum alloy	Aluminum alloy
Electrical suction door		

·gg		
Frameless door		-
Side sliding door	-	-
Roof rack	-	-
	The remote control key	
Key type	Bluetooth key	The remote control key
	•	•
	Main drive	Main drive
Hidden electric door handle	-	-
Active closed grille		
Electric tailgate	-	_
The tailgate position memory	•	•
Induction tailgate	•	•
The rear door glass to separate open	-	
Car side foot pedal	-	-
Internal configuration		
Steering wheel material	Genuine leather	Plastic
Steering wheel adjustment	Manually up and down+front and rear adjustment	Manually up and down+front and rear adjustment
The shift in the form	Mechanical gears put the shift	Mechanical gears put the shift
Multifunction steering wheel	•	•
Steering wheel shift	-	
Steering wheel heater	0	-
Trip computer display	• Color	• Color
Full LCD dashboard	-	-
Dashboard screen size	• 4.2	• 7
HUD head-up display	-	-
Built-in car DVR	-	-
Mobile phone wireless charging	The first row	The first row
ETC device	•	
Active noise reduction	-	
Power adjustable pedals	-	-
Seat configuration		
	Faux leather	Faux leather
Sport style seat		
The main driving seat electric adjustment	-	
Front passenger seat electric adjustment		
	- Front and year adjustment	- Frank and one adjustment
	Front and rear adjustment	Front and rear adjustment

Automatic opening and closing of the door -

The main driving seat adjustment mode	Backrest adjustment	Backrest adjustment
	Height adjustment(2)	Height adjustment(2)
	Front and rear adjustment	Front and rear adjustment
Front passenger seat adjustment mode		
	Backrest adjustment	 Backrest adjustment
The first row of seats features	o Heating	
Deser Kee	 Ventilation 	
Boss Key	•	
The second row of seats electric adjustment	•	-
The second-row seat adjustment		
The second-row seat feature	•	
Center armrest	The first row	The first row
Seat layout		Second row
		Scale down
The rear seats recline way	-	Scale down
Rear seats power recline	-	-
Rear Cup holder	-	Second row
Heating/cooling Cup holder	•	-
Rear folding Board	-	-
Car Machine/Internet		
Control color screen	Touch the LCD screen	Touch the LCD screen
In the control screen size	• 10.25	• 10.25
The Deputy driving the screen	-	-
Car network	• 4G	o 4G
OTA upgrade	Car OTA	-
Car WiFi function	-	
Car navigation maps	Baidu	o Baidu
V2X communication	-	•
Roadside assistance call	•	•
Bluetooth car phone	•	•
Mobile Internet/mapping	Support CarLife	Support CarLife
Speech partition Wake-up	Main drive	
	Secondary drive	
	Multimedia system	Multimedia system
Speech recognition control function	Navigation	o Navigation
	Telephone	o Telephone
	Air conditioning	o Air conditioning
Gesture control	-	
Facial recognition	Door control	Door control

	Vehicle to start	Air conditioning control
	Air conditioning control	o Vehicle to start
Remote control function	The condition of the car a query/diagnostic	
	Vehicle positioning/paging car	
Entertainment		
In-vehicle apps market	•	•
Car CD/DVD		
Multimedia/charging interface	USB Type-C	• USB
USB/Type-C ports quantity	• Front 2/Rear 1	• Front-row 1
Rear control multimedia		•
Cockpit 220V/230V power supply		•
Luggage compartment power supply interface		
Audio brand	-	
Speaker number	• 6	• 6
Audio audition	• 6	• 6
Light function		
Low beam light source	• LED	• LED
High-beam light source	• LED	• LED
Lighting features		
Eighting roduction		
LED daytime running lights		•
	Height adjustment	Height adjustment
LED daytime running lights	Height adjustment	Height adjustment
LED daytime running lights	Height adjustment Automatic opening and closing	Height adjustment Automatic opening and closing
LED daytime running lights Headlight function	Height adjustment Automatic opening and closing	Height adjustment Automatic opening and closing
LED daytime running lights Headlight function Steering assist lamp	Height adjustment Automatic opening and closing Delay off -	Height adjustment Automatic opening and closing
LED daytime running lights Headlight function Steering assist lamp Front fog lights	Height adjustment Automatic opening and closing Delay off -	Height adjustment Automatic opening and closing
LED daytime running lights Headlight function Steering assist lamp Front fog lights Headlight washer system	Height adjustment Automatic opening and closing Delay off -	Height adjustment Automatic opening and closing
LED daytime running lights Headlight function Steering assist lamp Front fog lights Headlight washer system Car inside atmosphere lamp	Height adjustment Automatic opening and closing Delay off -	Height adjustment Automatic opening and closing
LED daytime running lights Headlight function Steering assist lamp Front fog lights Headlight washer system Car inside atmosphere lamp Glass/mirrors	Height adjustment Automatic opening and closing Delay off	Height adjustment Automatic opening and closing Delay off
LED daytime running lights Headlight function Steering assist lamp Front fog lights Headlight washer system Car inside atmosphere lamp Glass/mirrors The first row power Windows	Height adjustment Automatic opening and closing Delay off	Height adjustment Automatic opening and closing Delay off
LED daytime running lights Headlight function Steering assist lamp Front fog lights Headlight washer system Car inside atmosphere lamp Glass/mirrors The first row power Windows Second-row power Windows	Height adjustment Automatic opening and closing Delay off	Height adjustment Automatic opening and closing Delay off
LED daytime running lights Headlight function Steering assist lamp Front fog lights Headlight washer system Car inside atmosphere lamp Glass/mirrors The first row power Windows Second-row power Windows	Height adjustment Automatic opening and closing Delay off Driving bit	Height adjustment Automatic opening and closing Delay off The whole car
LED daytime running lights Headlight function Steering assist lamp Front fog lights Headlight washer system Car inside atmosphere lamp Glass/mirrors The first row power Windows Second-row power Windows The window is a button lift Window anti-pinch hand function	Height adjustment Automatic opening and closing Delay off Driving bit Driving bit	Height adjustment Automatic opening and closing Delay off The whole car The whole car

Outaius minor iunistiona

Outside Hillion Indicates	o Electric folding	Electric folding
	Lock the car automatically folded	Lock the car automatically folded
Interior features	Manual anti-glare	Manual anti-glare
Rear side privacy glass	-	-
Rear side sunshade		-
The rear windshield sunshade	-	-
Car internalization makeup mirror	The main driving+lamp	The main driving+lamp
	Copilot+lighting	Copilot+lighting
Sensing wipers function		
Rear wiper	-	-
Heated spray nozzle	-	-
Air conditioning/refrigeration		
The first evacuation tone	Single-zone automatic air conditioning	Single-zone automatic air conditioning
The second evacuation tone	• Outlet	• Outlet
Third evacuation tone	-	-
Air quality monitoring		-
PM2.5 filter device in car	•	•
Car air purifier	•	•
Anion generator		•
Fragrance system		-
Car refrigerator	-	-