Parameter configuration	Byd D1 22 models 418km comfortable version		Byd D1 22 models 418km standard version		
Basic information					
Manufacturer	BYD new energy		BYD new energy		
Level	Compact MPV		Compact MPV		
Energy type	Pure electric		Pure electric		
Time to market	25/0-	4/2022	?	03/11/2022	
NEDC pure electric life[km]		418	3	418	
Fast charge time[h]	0.5		0.58		
Fast charge amount[%]	30-80		30-80		
Motor[Ps]	One hundred thirty six		One hundred thirty six		
Gearbox	1 gear fixed gear ratio		1 gear fixed gear ratio		
Length*width*height[mm]	4390*1850*1650		4390*1850*1650		
Body structure	Five-door, five-seat MPV		Five-door, five-seat MPV		
Maximum speed[km/h]		130)	130	
Vehicle warranty	2 years or 100,000 kilometers		2 years or 100,000 kilometers		
Exterior color					
Interior color					
Body					
Length[mm]		4390		4390	
Width[mm]		1850)	1850	
Height[mm]		1650)	1650	
Wheelbase[mm]		2800)	2800	
Front track[mm]		1590		1590	
Rear track[mm]		1590)	1590	
Doors number	Five		Five		
Number of seats	Five		Five		

Departure angle[°] Eighteen Eighteen

Minimum turning radius[m] 5.6 5.6

Quality of preparation [kg] One thousand six hundred forty One thousand six hundred forty

15

15

Full load mass [kg] Two thousand fifteen Two thousand fifteen

Motor[Ps]

Approach angle[°]

 Number of driving motors
 Single motor
 Single motor

 Motor layout
 Preface
 Preface

Type of motor Permanent magnet synchronization Permanent magnet synchronization

Total motor power [kW] One hundred One hundred

Total horsepower of motor One hundred thirty six One hundred thirty six

Total torque of motor 180 180

Maximum power of front motor [kW] One hundred One hundred

Maximum torque of front motor [N·m] 180 180

Battery type	Lithium iron phosphate battery	Lithium iron phosphate battery
Batteries brands	BYD	вур
Battery pre-heating	•	•
NEDC pure electric life[km]	41	8 418
Battery power [kWh]	53.6	53.6
Battery energy density [Wh/kg]		One hundred forty
Power consumption of 100km [kWh/100km]	12.3	12.3
The vehicle charge port	Fast-charge port	Fast-charge port
Fast charge time[h]	0.5	0.58
Fast charge amount[%]	30-80	30-80
Vehicles for electric	-	-
Home charging pile	-	-
With a car charging gun		
External discharge function	•	-
Battery pack warranty	6 years or 60 million km	8 years or 15 million km
Gearbox		
Gearbox description	The electric car is a single-speed gearbox	The electric car is a single-speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio
Gear number	One	One
Gear number Chassis steering Drive form		
Chassis steering Drive form	Front-engine, front drive	Front-engine, front drive
Chassis steering		
Chassis steering Drive form	Front-engine, front drive	Front-engine, front drive
Chassis steering Drive form Four-wheel drive form	Front-engine, front drive	Front-engine, front drive
Chassis steering Drive form Four-wheel drive form Center differential structure	Front-engine, front drive -	Front-engine, front drive -
Chassis steering Drive form Four-wheel drive form Center differential structure Front suspension type	Front-engine, front drive - - McPherson independent suspension	Front-engine, front drive - - McPherson independent suspension
Chassis steering Drive form Four-wheel drive form Center differential structure Front suspension type Rear suspension type	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension
Chassis steering Drive form Four-wheel drive form Center differential structure Front suspension type Rear suspension type	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power
Chassis steering Drive form Four-wheel drive form Center differential structure Front suspension type Rear suspension type Power type Adjustable suspension function	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power -
Chassis steering Drive form Four-wheel drive form Center differential structure Front suspension type Rear suspension type Power type Adjustable suspension function Adjustable suspension type	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power -	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power -
Chassis steering Drive form Four-wheel drive form Center differential structure Front suspension type Rear suspension type Power type Adjustable suspension function Adjustable suspension type	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power -	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power - - Bearing type
Chassis steering Drive form Four-wheel drive form Center differential structure Front suspension type Rear suspension type Power type Adjustable suspension function Adjustable suspension type Vehicle body structure Limited slip differential Differential lock	Front-engine, front drive - - McPherson independent suspension Torsion beam non-independent suspension Electric power - Bearing type -	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power - Bearing type -
Chassis steering Drive form Four-wheel drive form Center differential structure Front suspension type Rear suspension type Power type Adjustable suspension function Adjustable suspension type Vehicle body structure Limited slip differential Differential lock Wheel brake	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power - Bearing type -	Front-engine, front drive - McPherson independent suspension Torsion beam non-independent suspension Electric power - - Bearing type - -

Front tire specifications	• 195/60 R16	• 195/60 R16
Rear tire specifications	• 195/60 R16	• 195/60 R16
Spare wheel		
	No spare tire	No spare tire
The spare wheel is placed	•	•
Active safety ABS anti-lock	•	•
Pools for a distribution (FPD (PPO at a)		
Brake force distribution(EBD/CBC, etc.)	•	•
Brake assist(BA/EBA/BAS, etc.)	•	•
Traction control(ASR/TCS/TRC, etc.)	•	•
Body stability control(ESP/DSC/VSC, etc.)	•	
Belt is not based reminders	The whole car	The whole car
Tire pressure monitor	Tire pressure alarm	Tire pressure alarm
Passive safety	The pressure alarm	The pressure alarm
The main driver airbag	•	
Passenger airbag The first row side airbag	•	•
Second row side airbag	-	
Side curtain airbags		
Knee airbag		-
Front passenger seat cushion airbag	-	
December 1997		
Rear seat belt airbags		
Rear seat anti-slipped airbag	-	-
The Central airbag		
The second row of the forward airbag	-	-
Child seat interface	•	•
Passive pedestrian protection	-	-
The lack of gas tire		
Assist/control configuration		
Front Parking radar	-	•
Rear Parking radar	•	•
Reverse side warning system		
Open the door collision warning	-	
Driving aid image	Video of reversing	Video of reversing
Chassis perspective	-	-
Cruise control system	-	-
Driving mode selection	• Exercise	• Exercise
	• Economy	• Economy

	• Snow	• Snow
Fatigue warning	•	
self-parking	•	•
Remote control parking	•	
Remote call	•	
Engine start-stop	-	
Automatic parking	•	•
Uphill aid	•	•
A steep descent	-	•
Night vision system	•	•
Variable steering ratio	-	
Integral active steering system		
Wading sensing system		
Driver assistance features		
And the line auxiliary(BSM/BSD)	•	
Lane Departure Warning(LDWS)		•
Lane-keeping(LKAS)	-	
Lane centering maintain	-	
Road traffic signs recognition		
read dame signer recegnition		
Forward collision warning	-	-
Rear collision warning		
Active Brake	-	•
Auto lane change assist		
The ramp automatically exits/enters	-	
Reverse tracking	-	•
Auxiliary driving hardware		
Driving assistance level	-	
Ultrasonic radar Circumferential camera	After 4	After 4
	•	•
In-car camera External configuration	•	•
Skylight type		
Sports appearance kit		
Electric spoiler		
Rim material	Aluminum alloy	Aluminum alloy
Electrical suction door		
Automatic opening and closing of the door	-	
Frameless door	-	
Side sliding door	Right electric	Right electric
Roof rack		
Key type	The remote control key	The remote control key
Keyless start	•	•
Keyless entry	Main drive	Main drive
Hidden electric door handle		

Active closed grille		
Addre diosed gillio		
The Luggage compartment to open the way with the function		
The rear door glass to separate open		
Car side foot pedal	-	
Low-speed driving warning tone	•	•
Sentinel(clairvoyance)mode	-	
Internal configuration		
Steering wheel material	Plastic	Plastic
Steering wheel adjustment	Manually up and down+front and rear adjustment	Manually up and down+front and rear adjustment
The shift in the form	-	Electronic knob shift
Multifunction steering wheel	•	•
Steering wheel shift	-	-
Steering wheel heater	-	
Trip computer display	• Color	• Color
Full LCD dashboard	-	-
Dashboard screen size		• 2
HUD head-up display		
Built-in car DVR	•	•
Mobile phone wireless charging		
ETC device	-	
Active noise reduction		-
Power adjustable pedals		
Single pedal mode	•	•
Seat configuration		
Seat material	Faux leather	Faux leather
Sport style seat	-	
The main driving seat electric adjustment		-
Front passenger seat electric adjustment	-	
	Front and rear adjustment	Front and rear adjustment
	Backrest adjustment	Backrest adjustment
The main driving seat adjustment mode	Height adjustment(2)	Height adjustment(2)
	Lumbar adjustment(4-Way)	Lumbar adjustment(4-Way)
	Front and rear adjustment	Front and rear adjustment

Front passenger seat adjustment mode	
--------------------------------------	--

Front passenger seat adjustment mode		
	Backrest adjustment	Backrest adjustment
The first row of seats features	_	_
Boss Key		
buss ney	•	-
The second row of seats electric adjustment	-	-
The second-row seat adjustment	-	-
		-
Center armrest Seat layout	The first row	The first row -
The rear seats recline way	-	-
Rear seats power recline	-	-
Rear Cup holder	Second row	Second row
Heating/cooling Cup holder	-	-
Rear folding Board	-	-
Car Machine/Internet		
Control color screen	Touch the LCD screen	Touch the LCD screen
In the control screen size	• 10.1	• 10.1
The Deputy driving the screen		-
Car network		• 4G
		• Car OTA
Car WiFi function	WiFi hotspot	WiFi hotspot
Car navigation maps	Original factory	Original factory
V2X communication		-
Roadside assistance call	-	-
Bluetooth car phone		•
Mobile Internet/mapping		
Voice assistant Wake-up word	Hello, little Di	Hello, little Di
	Intelligent voice control	Intelligent voice control
Speech recognition control function	Multimedia system	Multimedia system
	Telephone	Telephone
Gesture control Facial recognition		
		•
Remote control function Entertainment	Vehicle to start	-
In-vehicle apps market	-	-
Car CD/DVD	-	-
Multimedia/charging interface	• USB	• USB
USB/Type-C ports quantity	• Front 3/rear 2	• Front 2/rear 2
Rear control multimedia		
	-	-

iteal mulumedia screen number		•
Cockpit 220V/230V power supply		
Luggage compartment power supply interface		-
Audio brand		
Speaker number	• 4	• 4
Audio audition	• 4	• 4
Light function		
Low beam light source	• Halogen	Halogen
High-beam light source	• Halogen	• Halogen
Lighting features	-	-
LED daytime running lights	•	•
	Height adjustment	Height adjustment
Headlight function	Automatic opening and closing	Automatic opening and closing
	Delay off	Delay off
Steering assist lamp		-
Front fog lights	-	-
Headlight washer system	-	-
Car inside atmosphere lamp		
Glass/mirrors		
The first row power Windows	•	•
Second-row power Windows	•	•
The window is a button lift	-	
Window anti-pinch hand function	-	
Multi-layer insulation glass		
Outside mirror functions	Electric adjustment	Electric adjustment
	Rearview mirror heating	Rearview mirror heating
Interior features	Manual anti-glare	Manual anti-glare
Rear side privacy glass		
Rear side sunshade		
The rear windshield sunshade		
Car internalization makeup mirror	Copilot	Copilot
Sensing wipers function		
Rear wiper		-
Heated spray nozzle		
Air conditioning/refrigeration		

-

Rear multimedia screen number

The first evacuation tone	Single-zone automatic air conditioning	Single-zone automatic air conditioning
The second evacuation tone	• Outlet	• Outlet
Third evacuation tone	-	-
PM2.5 filter device in car		-
Car air purifier		
Anion generator	-	-
Fragrance system	-	-
Car refrigerator	-	-